

# Technical data sheet



## Product features

### Lava stone grill gas 2 cooking areas 2x 31x48 counter top

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00009630                |
| GL 60 GS     | <b>A group of articles - web</b> | Grills and grill plates |



- Grid size [mm x mm]: 312 x 483
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Removable rim: No
- Removable grid: Yes
- Ignition: Piezo

|                        |          |                            |                             |
|------------------------|----------|----------------------------|-----------------------------|
| <b>SAP Code</b>        | 00009630 | <b>Net Weight [kg]</b>     | 49.00                       |
| <b>Net Width [mm]</b>  | 658      | <b>Power gas [kW]</b>      | 13.000                      |
| <b>Net Depth [mm]</b>  | 609      | <b>Type of gas</b>         | Propane butane, natural gas |
| <b>Net Height [mm]</b> | 290      | <b>Grid size [mm x mm]</b> | 312 x 483                   |


# Technical data sheet

Technical drawing



## Lava stone grill gas 2 cooking areas 2x 31x48 counter top

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00009630                |
| GL 60 GS     | <b>A group of articles - web</b> | Grills and grill plates |



# Technical data sheet



## Product benefits

### Lava stone grill gas 2 cooking areas 2x 31x48 counter top

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00009630                |
| GL 60 GS     | <b>A group of articles - web</b> | Grills and grill plates |

1

#### All-stainless design

long life  
resistance of AISI 304 stainless steel material  
the material does not cut

- savings on service interventions
- easy cleaning and maintenance of equipment

2

#### Degree of protection of the control elements IPX4

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

#### Outlet for waste liquids

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

4

#### High non-removable hem

better hygienic conditions  
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

5

#### Safety element – thermocouple

safe service for staff  
there is no unnecessary gas leakage  
long life

- savings on service interventions
- easier and faster operation

# Technical data sheet

## Technical parameters



### Lava stone grill gas 2 cooking areas 2x 31x48 counter top

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00009630                |
| GL 60 GS     | <b>A group of articles - web</b> | Grills and grill plates |

**1. SAP Code:**

00009630

**2. Net Width [mm]:**

658

**3. Net Depth [mm]:**

609

**4. Net Height [mm]:**

290

**5. Net Weight [kg]:**

49.00

**6. Gross Width [mm]:**

640

**7. Gross depth [mm]:**

725

**8. Gross Height [mm]:**

410

**9. Gross Weight [kg]:**

50.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

Table top

**12. Power gas [kW]:**

13.000

**13. Ignition:**

Piezo

**14. Type of gas:**

Propane butane, natural gas

**15. Protection of controls:**

IPX4

**16. Material:**

Stainless steel

**17. Grid material:**

Stainless steel

**18. Container for liquid fat:**

Yes

**19. Independent heating zones:**

Separate control for each heating zone

**20. Removable rim:**

No

**21. Removable grid:**

Yes

**22. Grid size [mm x mm]:**

312 x 483

**23. Removable burner:**

Yes

**24. Connection to a ball valve:**

1/2