Technical data sheet

Product features

Fry Top Griddle electric smooth durable chrome 230/400 V / 1/3N		
Model	**SAP Code**	00021107
FTHC 60 ED + 2x KD 30 T	**A group of articles - web**	Grills and grill plates



- Top type: Smooth
- Griddle dimensions [mm x mm]: 650 x 480 + 320 x 380 + 320 x 380
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone on the bottom plate and for the top plates
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm
- Removable rim: No


SAP Code	00021107	**Power electric [kW]**	12.000
Net Width [mm]	660	**Loading**	230/400 V / 1/3N - 50 Hz
Net Depth [mm]	660	**Griddle dimensions [mm x mm]**	650 x 480 + 320 x 380 + 320 x 380
Net Height [mm]	400	**Top type**	Smooth
Net Weight [kg]	72.00		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Fry Top Griddle electric smooth durable chrome 230/400 V / 1/3N		
Model	**SAP Code**	00021107
FTHC 60 ED + 2x KD 30 T	**A group of articles - web**	Grills and grill plates



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Fry Top Griddle electric smooth durable chrome 230/400 V / 1/3N		
Model	**SAP Code**	00021107
FTHC 60 ED + 2x KD 30 T	**A group of articles - web**	Grills and grill plates

1. **SAP Code:**
   00021107
2. **Net Width [mm]:**
   660
3. **Net Depth [mm]:**
   660
4. **Net Height [mm]:**
   400
5. **Net Weight [kg]:**
   72.00
6. **Gross Width [mm]:**
   710
7. **Gross depth [mm]:**
   725
8. **Gross Height [mm]:**
   540
9. **Gross Weight [kg]:**
   75.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Table top
12. **Power electric [kW]:**
    12.000
13. **Loading:**
    230/400 V / 1/3N - 50 Hz
14. **Protection of controls:**
    IPX4
15. **Exterior color of the device:**
    Stainless steel
16. **Material:**
    AISI 430
17. **Indicators:**
    operation and warm-up
18. **Surface finish:**
    polished chrome 0.03 mm
19. **Maximum device temperature [°C]:**
    300
20. **Minimum device temperature [°C]:**
    50
21. **Griddle dimensions [mm x mm]:**
    650 x 480 + 320 x 380 + 320 x 380
22. **Griddle thickness [mm]:**
    10.00
23. **Container for liquid fat:**
    Yes
24. **Independent heating zones:**
    Separate control for each heating zone on the bottom plate and for the top plates
25. **Removable rim:**
    No
26. **Uniform heating:**
    Yes
27. **Top type:**
    Smooth
28. **Cross-section of conductors CU [mm²]:**
    10

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062