

# Technical data sheet

## Product features



### Fry-top griddle plate 80x51 gas grooved on open cabinet

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00110075                |
| FTR 70/80 G  | <b>A group of articles - web</b> | Grills and grill plates |



- Top type: Grooved
- Griddle dimensions [mm x mm]: 796 x 510
- Griddle thickness [mm]: 12.00
- Worktop material: Sandblasted steel
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: sandblasted surface without coating
- Removable rim: Yes
- Ignition: Piezo+večný plamen

|                        |          |                                     |                                           |
|------------------------|----------|-------------------------------------|-------------------------------------------|
| <b>SAP Code</b>        | 00110075 | <b>Power gas [kW]</b>               | 14.000                                    |
| <b>Net Width [mm]</b>  | 800      | <b>Type of gas</b>                  | Natural gas, propane butane               |
| <b>Net Depth [mm]</b>  | 700      | <b>Griddle dimensions [mm x mm]</b> | 796 x 510                                 |
| <b>Net Height [mm]</b> | 900      | <b>Top type</b>                     | Grooved                                   |
| <b>Net Weight [kg]</b> | 87.00    | <b>Worktop type</b>                 | Molded - comfortable cleaning maintenance |




# Technical data sheet

Technical drawing



## Fry-top griddle plate 80x51 gas grooved on open cabinet

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00110075                |
| FTR 70/80 G  | <b>A group of articles - web</b> | Grills and grill plates |



# Technical data sheet



## Product benefits

### Fry-top griddle plate 80x51 gas grooved on open cabinet

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00110075                |
| FTR 70/80 G  | <b>A group of articles - web</b> | Grills and grill plates |

1

#### **Safety element – thermocouple**

safe service for staff  
there is no unnecessary gas leakage  
long life

- savings on service interventions
- easier and faster operation

2

#### **All-stainless design**

long life  
corrosion resistance of the top plate material

- savings on service interventions
- higher corrosion resistance

3

#### **Degree of protection of the control elements IPX4**

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

#### **Outlet for waste liquids**

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

5

#### **High detachable hem**

better hygienic conditions  
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

6

#### **Ribbed steel plate**

fast heat transfer and the surface will not be scratched  
a good warming of the meat with a groove

- time-saving in food preparation
- easy preparation of good-looking food

# Technical data sheet

## Technical parameters



### Fry-top griddle plate 80x51 gas grooved on open cabinet

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00110075                |
| FTR 70/80 G  | <b>A group of articles - web</b> | Grills and grill plates |

**1. SAP Code:**

00110075

**2. Net Width [mm]:**

800

**3. Net Depth [mm]:**

700

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

87.00

**6. Gross Width [mm]:**

840

**7. Gross depth [mm]:**

800

**8. Gross Height [mm]:**

975

**9. Gross Weight [kg]:**

101.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

Stationary

**12. Power gas [kW]:**

14.000

**13. Ignition:**

Piezo+večný plamen

**14. Type of gas:**

Natural gas, propane butane

**15. Protection of controls:**

IPX4

**16. Material:**

AISI 304 top plate, AISI 430 cladding

**17. Worktop type:**

Molded - comfortable cleaning maintenance

**18. Worktop material:**

Sandblasted steel

**19. Worktop Thickness [mm]:**

1.20

**20. Surface finish:**

sandblasted surface without coating

**21. Maximum device temperature [°C]:**

300

**22. Minimum device temperature [°C]:**

50

**23. Service accessibility:**

Trough the frontal panel

**24. Safety thermocouple:**

Yes

**25. Safety thermostat:**

Yes

**26. Adjustable feet:**

Yes

**27. Griddle dimensions [mm x mm]:**

796 x 510

**28. Griddle thickness [mm]:**

12.00

# Technical data sheet

Technical parameters



## Fry-top griddle plate 80x51 gas grooved on open cabinet

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00110075                |
| FTR 70/80 G  | <b>A group of articles - web</b> | Grills and grill plates |

### 29. Container for liquid fat:

Yes

### 30. Independent heating zones:

Separate control for each heating zone

### 31. Removable rim:

Yes

### 32. Uniform heating:

Yes

### 33. Top type:

Grooved

### 34. Connection to a ball valve:

1/2