# Technical data sheet

Product features

| Food display island chilled GN 6-1/1 Wenge 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00012105 |
| ES BLUE+ 6W | **A group of articles - web** | Sideboards and showcases |




- Buffet type: BLUE
- Device properties: Chilled
- Number of GN / EN: 6
- GN / EN size in device: GN 1/1
- GN device depth: 150
- Minimum device temperature [°C]: 4
- Maximum device temperature [°C]: 8

| | | | |
|---|---|---|---|
| **SAP Code** | 00012105 | **Loading** | 230 V / 1N - 50 Hz |
| **Net Width [mm]** | 2144 | **Number of GN / EN** | 6 |
| **Net Depth [mm]** | 760 | **GN / EN size in device** | GN 1/1 |
| **Net Height [mm]** | 1288 | **GN device depth** | 150 |
| **Net Weight [kg]** | 199.80 | **Minimum device temperature [°C]** | 4 |
| **Power electric [kW]** | 0.494 | **Maximum device temperature [°C]** | 8 |




RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical drawing

| Food display island chilled GN 6-1/1 Wenge 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00012105 |
| ES BLUE+ 6W | **A group of articles - web** | Sideboards and showcases |






RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Product benefits

| Food display island chilled GN 6-1/1 Wenge 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00012105 |
| ES BLUE+ 6W | **A group of articles - web** | Sideboards and showcases |

**1** **Dynamic cooling**

constant temperature in all places of the refrigerated space

- greater hygienic safety of chilled food

**2** **Breathing screen with electric drive**

the possibility of easily covering the food

- higher hygienic safety
- ease of use
- attractiveness

**3** **LED lighting**

minimal energy consumption

- economical lighting
- attractive appearance

**4** **Removable evaporator filter**

easy disassembly

- time saving for cleaning

**5** **All-stainless steel construction**

harmless to health for contact with food
robustness

- perfect sanitation
- long service life

**6** **Rounded corners**

basins without sharp edges and corners

- higher hygienic safety
- time saving due to easy cleaning

**7** **GN insertion up to 15mm**

variability of use

- possibility of cooling different types of food and larger volumes
- saving time, space, costs

**8** **Travel wheels**

portable buffet table

- greater flexibility in dispensing
- possibility of use at banquets
- easier and safer handling

**9** **Breathing galley with trigger**

galerka made of hygienic Plexiglas with motorized displacement

- hygienic food protection
- the possibility of sealing before dispensing - extending the shelf life of food



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical parameters

| Food display island chilled GN 6-1/1 Wenge 230 V / 1N | | |
|---|---|---|
| **Model** | **SAP Code** | 00012105 |
| ES BLUE+ 6W | **A group of articles - web** | Sideboards and showcases |

1. **SAP Code:**
   00012105
2. **Net Width [mm]:**
   2144
3. **Net Depth [mm]:**
   760
4. **Net Height [mm]:**
   1288
5. **Net Weight [kg]:**
   199.80
6. **Gross Width [mm]:**
   2208
7. **Gross depth [mm]:**
   1012
8. **Gross Height [mm]:**
   1100
9. **Gross Weight [kg]:**
   220.00
10. **Device type:**
    Electric unit
11. **Buffet type:**
    BLUE
12. **Device properties:**
    Chilled
13. **Exterior color of the device:**
    Hemlock
14. **Power electric [kW]:**
    0.494
15. **Loading:**
    230 V / 1N - 50 Hz
16. **Number of GN / EN:**
    6
17. **GN / EN size in device:**
    GN 1/1
18. **GN device depth:**
    150
19. **Minimum device temperature [°C]:**
    4
20. **Maximum device temperature [°C]:**
    8
21. **Interior lighting:**
    No
22. **Cross-section of conductors CU [mm²]:**
    0,5
23. **Refrigerant:**
    R290



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062