Technical data sheet

Product features

Cooking range electric with static electric oven GN 2/1 - 4x plate 400 V / 3N		
Model	**SAP Code**	00012396
SPLT 90/80 21 E	**A group of articles - web**	Stoves



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2,5
- Power consumption of the zone 2 [kW]: 2,5
- Power consumption of the zone 3 [kW]: 2,5
- Power consumption of the zone 4 [kW]: 2,5
- Type of internal part of the appliance 2 (eg oven): Hot air
- Protection of controls: IP24
- Material: AISI 304 top plate, AISI 430 cladding


SAP Code	00012396	**Power consumption of the zone 1 [kW]**	2,5
Net Width [mm]	800	**Power consumption of the zone 2 [kW]**	2,5
Net Depth [mm]	900	**Power consumption of the zone 3 [kW]**	2,5
Net Height [mm]	900	**Power consumption of the zone 4 [kW]**	2,5
Net Weight [kg]	138.00	**Type of internal part of the appliance 2 (eg oven)**	Hot air
Power electric [kW]	16.000	**Width of internal part [mm]**	682
Loading	400 V / 3N - 50 Hz	**Depth of internal part [mm]**	558
Number of zones	4	**Height of internal part [mm]**	348

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Cooking range electric with static electric oven GN 2/1 - 4x plate 400 V / 3N		
Model	**SAP Code**	00012396
SPLT 90/80 21 E	**A group of articles - web**	Stoves



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Cooking range electric with static electric oven GN 2/1 - 4x plate 400 V / 3N		
Model	**SAP Code**	00012396
SPLT 90/80 21 E	**A group of articles - web**	Stoves

1 **Square plates**

quick warm-up
efficient cooking on a large square surface

- time-saving in food preparation
- easy to use thanks to the large surface area of the cooking plates

2 **Internal thermostatic plate protection**

longer service life of the plates

- no overheating of the plates and no cracking

3 **Degree of protection of the control elements IPX4**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4 **All-stainless design**

long life
resistance of a ground steel plate with a thickness of 10 mm

- savings on service interventions
- higher corrosion resistance

5 **Hygienic moldings of the top plate**

absence of sharp corners and edges (potential places where dirt could stick)
smooth transitions

- easy quick cleaning

6 **Large electric oven with four positions for racks with static cooking**

static baking
high capacity and variability
all-stainless design

- suitable for yeast dishes and desserts
- long service life
- easy to clean

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range electric with static electric oven GN 2/1 - 4x plate 400 V / 3N		
Model	**SAP Code**	00012396
SPLT 90/80 21 E	**A group of articles - web**	Stoves

1. **SAP Code:**
   00012396
2. **Net Width [mm]:**
   800
3. **Net Depth [mm]:**
   900
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   138.00
6. **Gross Width [mm]:**
   840
7. **Gross depth [mm]:**
   970
8. **Gross Height [mm]:**
   1160
9. **Gross Weight [kg]:**
   153.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Stationary
12. **Power electric [kW]:**
    16.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IP24
15. **Exterior color of the device:**
    Stainless steel
16. **Material:**
    AISI 304 top plate, AISI 430 cladding
17. **Indicators:**
    operation
18. **Worktop type:**
    Molded - comfortable cleaning maintenance
19. **Worktop material:**
    AISI 304
20. **Worktop Thickness [mm]:**
    1.50
21. **Number of zones:**
    4
22. **Power consumption of the zone 1 [kW]:**
    2,5
23. **Power consumption of the zone 2 [kW]:**
    2,5
24. **Power consumption of the zone 3 [kW]:**
    2,5
25. **Power consumption of the zone 4 [kW]:**
    2,5
26. **Maximum device temperature [°C]:**
    300
27. **Minimum device temperature [°C]:**
    50
28. **Number of power control stages:**
    6

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range electric with static electric oven GN 2/1 - 4x plate 400 V / 3N		
Model	**SAP Code**	00012396
SPLT 90/80 21 E	**A group of articles - web**	Stoves

29. Service accessibility:
Trough the frontal panel

30. Adjustable feet:
Yes

31. Number of burners/hot plates:
4

32. Type of gas cooking zones:
Thales

33. Type of electric cooking zones:
Squared

34. Oven Type:
electrical static

35. Oven power electric [kW]:
6.30

36. Oven size:
GN 2/1

37. Type of internal part of the appliance 2 (eg oven):
Hot air

38. Width of internal part [mm]:
682

39. Depth of internal part [mm]:
558

40. Height of internal part [mm]:
348

41. Gasket:
Yes

42. Maximum temperature of the inner chamber [°C]:
300

43. Minimum temperature of the inner chamber [°C]:
50

44. Cross-section of conductors CU [mm²]:
5

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062