Technical data sheet

Product features

Multi-function braising pan electric 6 l TOP 230 V / 1N		
Model	**SAP Code**	00010041
FT 30 ELMK	**A group of articles - web**	Pans



- Bottom thickness: 10.00
- Basin volume [l]: 6
- Usable volume [l]: 6
- Protection of controls: IPX4


SAP Code	00010041	**Loading**	230 V / 1N - 50 Hz
Net Width [mm]	328	**Basin volume [l]**	6
Net Depth [mm]	630	**Usable volume [l]**	6
Net Height [mm]	447	**Width of internal part [mm]**	320
Net Weight [kg]	26.20	**Depth of internal part [mm]**	530
Power electric [kW]	3.000	**Height of internal part [mm]**	60


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062


Technical data sheet


Technical drawing


Multi-function braising pan electric 6 l TOP 230 V / 1N		
Model	**SAP Code**	00010041
FT 30 ELMK	**A group of articles - web**	Pans











RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Multi-function braising pan electric 6 l TOP 230 V / 1N		
Model	**SAP Code**	00010041
FT 30 ELMK	**A group of articles - web**	Pans

1

All-stainless steel cladding except for the hob

long life
resistance of AISI 304 stainless steel material
the material does not cut

- savings on service interventions
- easier and faster operation

2

Degree of protection of the control elements IPX4

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- greater job security for staff

3

The outlet on the front side is removable

the possibility of draining the oil into the prepared container and a Teflon pin in the container

- easy and safe handling
- better ergonomics and working conditions for operators
- better use of space removability

4

Steel plate

long life
resistance of a ground steel plate with a thickness of 10 mm

- faster warm-up
- toasts better than stainless steel
- food does not stick to it

5

Control on the short side

suitable for lack of space

- possibility of placing more devices

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Multi-function braising pan electric 6 l TOP 230 V / 1N		
Model	**SAP Code**	00010041
FT 30 ELMK	**A group of articles - web**	Pans

1. **SAP Code:**
   00010041
2. **Net Width [mm]:**
   328
3. **Net Depth [mm]:**
   630
4. **Net Height [mm]:**
   447
5. **Net Weight [kg]:**
   26.20
6. **Gross Width [mm]:**
   375
7. **Gross depth [mm]:**
   685
8. **Gross Height [mm]:**
   450
9. **Gross Weight [kg]:**
   30.50
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Table top
12. **Power electric [kW]:**
    3.000
13. **Loading:**
    230 V / 1N - 50 Hz
14. **Protection of controls:**
    IPX4
15. **Material:**
    AISI 430
16. **Indicators:**
    operation and warm-up
17. **Standard equipment for device:**
    teflon pin with overflow
18. **Basin volume [l]:**
    6
19. **Maximum device temperature [°C]:**
    300
20. **Minimum device temperature [°C]:**
    50
21. **Adjustable feet:**
    Yes
22. **Bottom thickness:**
    10.00
23. **Usable volume [l]:**
    6
24. **Type of drain valve:**
    with safety lock
25. **Drain:**
    Yes
26. **Width of internal part [mm]:**
    320
27. **Depth of internal part [mm]:**
    530
28. **Height of internal part [mm]:**
    60

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Multi-function braising pan electric 6 l TOP 230 V / 1N		
Model	**SAP Code**	00010041
FT 30 ELMK	**A group of articles - web**	Pans

29. Cross-section of conductors CU [mm²]:

0,75

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062