Technical data sheet

Product features

Panini grill grooved electric grooved upper plate 26x24 230 V / 1N		
Model	**SAP Code**	00003499
PS 2010 R	**A group of articles - web**	Grills and grill plates



- Top type: Grooved
- Griddle dimensions [mm x mm]: 260 x 240
- Griddle thickness [mm]: 8.00
- Container for liquid fat: Yes
- Independent heating zones: Joint control of top and bottom plate
- Maximum device temperature [°C]: 300
- Surface finish: sandblasted surface without coating


SAP Code	00003499	**Power electric [kW]**	3.000
Net Width [mm]	304	**Loading**	230 V / 1N - 50 Hz
Net Depth [mm]	407	**Griddle dimensions [mm x mm]**	260 x 240
Net Height [mm]	189	**Top type**	Grooved
Net Weight [kg]	15.00		


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062


Technical data sheet

Technical drawing

Panini grill grooved electric grooved upper plate 26x24 230 V / 1N		
Model	**SAP Code**	00003499
PS 2010 R	**A group of articles - web**	Grills and grill plates







RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Panini grill grooved electric grooved upper plate 26x24 230 V / 1N		
Model	**SAP Code**	00003499
PS 2010 R	**A group of articles - web**	Grills and grill plates

1

All-stainless design

only stainless steel intended for food contact is used

- absolutely rust-proof and non-magnetic design resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning

2

Run and warm-up light

optical possibility to check the status of the device

- the operator immediately knows what state the appliance is in on/off, heating/not heating

3

Outlet for waste liquids

waste fluid, the fat is no longer burned and drains into the reservoir (drawer)

- the waste liquid (grease) is not burned off and does not flow onto the table or the floor

4

Grill plate with steel alloy 8mm

high thermal conductivity strength stability

- quick heat up the grill plate does not warp or bulge
- faster heating than cast iron
- grills better than stainless steel
- food does not stick to it

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Panini grill grooved electric grooved upper plate 26x24 230 V / 1N		
Model	**SAP Code**	00003499
PS 2010 R	**A group of articles - web**	Grills and grill plates

1. **SAP Code:**
   00003499
2. **Net Width [mm]:**
   304
3. **Net Depth [mm]:**
   407
4. **Net Height [mm]:**
   189
5. **Net Weight [kg]:**
   15.00
6. **Gross Width [mm]:**
   470
7. **Gross depth [mm]:**
   330
8. **Gross Height [mm]:**
   230
9. **Gross Weight [kg]:**
   16.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Table top
12. **Power electric [kW]:**
    3.000
13. **Loading:**
    230 V / 1N - 50 Hz
14. **Protection of controls:**
    IPX4
15. **Material:**
    Stainless steel
16. **Indicators:**
    operation and warm-up
17. **Surface finish:**
    sandblasted surface without coating
18. **Maximum device temperature [°C]:**
    300
19. **Minimum device temperature [°C]:**
    50
20. **Griddle dimensions [mm x mm]:**
    260 x 240
21. **Griddle thickness [mm]:**
    8.00
22. **Container for liquid fat:**
    Yes
23. **Independent heating zones:**
    Joint control of top and bottom plate
24. **Uniform heating:**
    Yes
25. **Top type:**
    Grooved
26. **Power consumption of the zone 1 [kW]:**
    1,8
27. **Power consumption of the zone 2 [kW]:**
    1,2
28. **Cross-section of conductors CU [mm²]:**
    0,75

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062