Technical data sheet

Product features

Tilting bratt pan electric 400 V / 3N		
Model	**SAP Code**	00012285
BR 90/120 E	**A group of articles - web**	Pans



- Bottom material: Steel
- Bottom thickness: 12.00
- Basin volume [l]: 120
- Usable volume [l]: 120
- Tilting: Manual with auxiliary spring
- Filling : Mechanical cock
- Type of pan: Tillting
- Basin shape: Practically shaped bathtub spout to minimize spillage
- Protection of controls: IPX4
- Basin dimensions [mm x mm x mm]: 1121 x 566 x 223


SAP Code	00012285	**Loading**	400 V / 3N - 50 Hz
Net Width [mm]	1200	**Bottom material**	Steel
Net Depth [mm]	900	**Basin volume [l]**	120
Net Height [mm]	900	**Usable volume [l]**	120
Net Weight [kg]	230.00	**Tilting**	Manual with auxiliary spring
Power electric [kW]	18.000		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Tilting bratt pan electric 400 V / 3N		
Model	**SAP Code**	00012285
BR 90/120 E	**A group of articles - web**	Pans



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Tilting bratt pan electric 400 V / 3N		
Model	**SAP Code**	00012285
BR 90/120 E	**A group of articles - web**	Pans

1. **SAP Code:**
   00012285
2. **Net Width [mm]:**
   1200
3. **Net Depth [mm]:**
   900
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   230.00
6. **Gross Width [mm]:**
   1240
7. **Gross depth [mm]:**
   970
8. **Gross Height [mm]:**
   1170
9. **Gross Weight [kg]:**
   250.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Stationary
12. **Power electric [kW]:**
    18.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX4
15. **Exterior color of the device:**
    Stainless steel
16. **Material:**
    AISI 304 top plate, AISI 430 cladding
17. **Indicators:**
    operation and warm-up
18. **Worktop type:**
    Molded - comfortable cleaning maintenance
19. **Worktop material:**
    AISI 304
20. **Worktop Thickness [mm]:**
    1.50
21. **Device heating type:**
    Indirect
22. **Basin volume [l]:**
    120
23. **Basin dimensions [mm x mm x mm]:**
    1121 x 566 x 223
24. **Volume capacity of the container [l]:**
    120.00
25. **Maximum device temperature [°C]:**
    300
26. **Minimum device temperature [°C]:**
    50
27. **Safety thermostat:**
    Yes
28. **Safety thermostat up to x ° C:**
    360

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Tilting bratt pan electric 400 V / 3N		
Model	**SAP Code**	00012285
BR 90/120 E	**A group of articles - web**	Pans

29. Adjustable feet:
Yes

30. Tilting:
Manual with auxiliary spring

31. Bottom thickness:
12.00

32. Bottom material:
Steel

33. Type of pan:
Tillting

34. Usable volume [l]:
120

35. Filling :
Mechanical cock

36. Basin shape:
Practically shaped bathtub spout to minimize spillage

37. Water filling type:
Cold

38. Cross-section of conductors CU [mm²]:
5

39. Water supply connection:
1/2”

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062