

#### **Product features**

Electric convection oven reinforced version Direct steaming Color touch screen Automatic cleaning Left-hinged door 10x GN 1/1

**Model SAP Code** 00038593



- Steam type: Injection
- Number of GN / EN: 10
- GN / EN size in device: GN 1/1, EN 600x400
- GN device depth: 65
- Control type: Touchscreen
- Display size: 7"
- Humidity control: Yes, indirect measuring
- Delta T heat preparation: Yes
- Multi level cooking: Drawer program control of heat treatment for each dish separately
- Door constitution: Vented safety double glass, removable for easy cleaning


SAP Code	00038593	Steam type	Injection
Net Width [mm]	907	Number of GN / EN	10
Net Depth [mm]	752	GN / EN size in device	GN 1/1, EN 600x400
Net Height [mm]	1023	GN device depth	65
Net Weight [kg]	110.00	Control type	Touchscreen
Power electric [kW]	17.400	Display size	7"
Loading	400 V / 3N - 50 Hz		





Technical drawing

Electric convection oven reinforced version Direct steaming Color touch screen Automatic cleaning Left-hinged door 10x GN 1/1

Model SAP Code 00038593









**Product benefits** 

Electric convection oven reinforced version Direct steaming Color touch screen Automatic cleaning Left-hinged door 10x GN 1/1

Model **SAP Code** 00038593

Rapid chamber ventilation system

fast ventilation of odors

saving time and costs

Double glazed ventilation door (panels can be opened)

easy cleaning and washing

easier human work and effort - more satisfied staff

**LED** cooking chamber lighting

overview inside the combi oven

- saving time and costs, when we do not open the convection oven, hot air does not escape

AISI 304 cooking chamber with curved corners easy cleaning and washing

easier human work and effort - more satisfied staff

Height adjustable feet

variability of operation

- possibility of height adjustment

Single knob control

simplicity

- saving time; easier human work and effort - more satisfied staff

**Trolley** 

cooks and handles up to 20 GN at once

- low operating costs, saving time and costs

**Preset cooking programs** possibility of controlling 9 cooking phases for each of them

saving time and costs

One Touch cooking mode immediate start of the cooking cycle "one touch of the program"

- saving time and costs

**Easy service** 

possibility of cooking different dishes at the same time

saving time and costs

**Super Steam** 

possibility of setting 2 humidity levels

tasty balanced meals

**Hold function** possibility of maintaining food temperature, immediate serving

saving time and costs

**Regeneration function** 

food regeneration

- tasty and more valuable food, nice appearance of the food,

**Rack control** 

possibility of serving all dishes at the same time in one place

saving time and costs

**SAP Code** 



### Technical parameters

Model

Electric convection oven reinforced version Direct steaming Color touch screen Automatic cleaning Left-hinged door 10x GN 1/1

00038593

<b>1. SAP Code:</b> 00038593	<b>14. Exterior color of the device:</b> Stainless steel
<b>2. Net Width [mm]:</b> 907	<b>15. Adjustable feet:</b> Yes
<b>3. Net Depth [mm]:</b> 752	<b>16. Humidity control:</b> Yes, indirect measuring
<b>4. Net Height [mm]:</b> 1023	<b>17. Stacking availability:</b> Yes
5. Net Weight [kg]: 110.00	18. Control type: Touchscreen
<b>6. Gross Width [mm]:</b> 940	19. Additional information:  possibility of reverse door opening - handle on the right side (must be specified when ordering)
7. Gross depth [mm]: 900	20. Steam type: Injection
8. Gross Height [mm]: 1078	21. Chimney for moisture extraction: Yes
9. Gross Weight [kg]: 130.00	22. Display size:
10. Device type: Electric unit	23. Delta T heat preparation: Yes
<b>11. Power electric [kW]:</b> 17.400	24. Unified finishing of meals EasyService: Yes
<b>12. Loading:</b> 400 V / 3N - 50 Hz	25. Night cooking: Yes
<b>13. Material:</b> AISI 304	<b>26. Washing system:</b> Open

27. Detergent type:

Liquid washing detergent + water rinse

Yes

42. Low temperature heat treatment:



#### Technical parameters

Electric convection oven reinforced version Direct steaming Color touch screen Automatic cleaning Left-hinged door 10x GN 1/1 Model **SAP Code** 00038593 43. Number of fan speeds: 28. Multi level cooking: Drawer program - control of heat treatment for each 3 dish separately 44. Number of programs: 29. Slow cooking: from 50 °C 1000 30. Fan stop: 45. USB port: Interruption when door is opened, not braked Yes, for uploading recipes and updating firmware 31. Lighting type: 46. Door constitution: LED lighting in the door, on one side Vented safety double glass, removable for easy cleaning 32. Cavity material and shape: 47. Number of preset programs: AISI 304, with rounded corners for easy cleaning 33. Reversible fan: 48. Number of recipe steps: Yes 9 34. Sustaince box: 49. Minimum device temperature [°C]: Yes 35. Standard equipment for device: 50. Maximum device temperature [°C]: 1-point probe 36. Heating element material: 51. Device heating type: Combination of steam and hot air Incoloy 37. Probe: **52. HACCP:** Yes Yes 53. Number of GN / EN: 38. Shower: Manual (optional)

**54. GN / EN size in device:** GN 1/1, EN 600x400

56. Cross-section of conductors CU [mm<sup>2</sup>]:

55. GN device depth:

5

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

39. Distance between the layers [mm]:

40. Smoke-dry function:

41. Interior lighting:



### Technical parameters

·
---

Model SAP Code 00038593

**57. Diameter nominal:** 

DN 50

58. Water supply connection:

3/4"