

# Technical data sheet

## Product features



### Cooking range combined with static electric oven GN 2/1 - 4x burner

|                 |                                  |          |
|-----------------|----------------------------------|----------|
| <b>Model</b>    | <b>SAP Code</b>                  | 00110119 |
| SPT 70/80 21 GE | <b>A group of articles - web</b> | Stoves   |



- Device type: Combined unit
- Power consumption of the zone 1 [kW]: 7,5
- Power consumption of the zone 2 [kW]: 7,5
- Power consumption of the zone 3 [kW]: 7,5
- Power consumption of the zone 4 [kW]: 4,5
- Ignition: Eternal flame
- Type of internal part of the appliance 1 (eg oven): Electric
- Type of internal part of the appliance 2 (eg oven): Static
- Material: AISI 304 top plate, AISI 430 cladding

|                            |                             |                                                           |          |
|----------------------------|-----------------------------|-----------------------------------------------------------|----------|
| <b>SAP Code</b>            | 00110119                    | <b>Power consumption of the zone 1 [kW]</b>               | 7,5      |
| <b>Net Width [mm]</b>      | 800                         | <b>Power consumption of the zone 2 [kW]</b>               | 7,5      |
| <b>Net Depth [mm]</b>      | 700                         | <b>Power consumption of the zone 3 [kW]</b>               | 7,5      |
| <b>Net Height [mm]</b>     | 900                         | <b>Power consumption of the zone 4 [kW]</b>               | 4,5      |
| <b>Net Weight [kg]</b>     | 98.00                       | <b>Type of internal part of the appliance 1 (eg oven)</b> | Electric |
| <b>Power electric [kW]</b> | 6.300                       | <b>Type of internal part of the appliance 2 (eg oven)</b> | Static   |
| <b>Loading</b>             | 400 V / 3N - 50 Hz          | <b>Width of internal part [mm]</b>                        | 682      |
| <b>Power gas [kW]</b>      | 27.000                      | <b>Depth of internal part [mm]</b>                        | 558      |
| <b>Type of gas</b>         | Natural gas, propane butane | <b>Height of internal part [mm]</b>                       | 348      |
| <b>Number of zones</b>     | 4                           | <b>Diameter of device [mm]</b>                            | 100      |


# Technical data sheet

Technical drawing



Cooking range combined with static electric oven GN 2/1 - 4x burner

|                 |                                  |          |
|-----------------|----------------------------------|----------|
| <b>Model</b>    | <b>SAP Code</b>                  | 00110119 |
| SPT 70/80 21 GE | <b>A group of articles - web</b> | Stoves   |



# Technical data sheet



## Product benefits

### Cooking range combined with static electric oven GN 2/1 - 4x burner

|                 |                                  |          |
|-----------------|----------------------------------|----------|
| <b>Model</b>    | <b>SAP Code</b>                  | 00110119 |
| SPT 70/80 21 GE | <b>A group of articles - web</b> | Stoves   |

1

#### Massive construction of burners

- high performance and efficiency
- brass burners removable
- eternal flame
- long life
- demountable
  - energy saving (perfect combustion)
  - time saving for food preparation
  - easy maintenance/cleaning

2

#### Hygienic moldings of the top plate

- absence of sharp corners and edges (potential places where dirt could stick)
- smooth transitions
  - easy quick cleaning

3

#### Degree of protection of the control elements IPX4

- maintenance-free system
- resistance to splash water
- long life
  - savings on service interventions
  - easy cleaning and maintenance of equipment

4

#### All-stainless design

- long life
- resistance of a ground steel plate with a thickness of 10 mm
  - savings on service interventions
  - higher corrosion resistance

5

#### Safety element – thermocouple

- safe operation for personnel
- there is no overheating and damage to the thallus
- long life
  - savings on service interventions
  - easier and faster operation

6

#### Large electric oven with four positions for racks with static cooking

- possibility of baking
- high capacity and variability
- all-stainless design
  - suitable for yeast dishes and desserts
  - long service life
  - easy to clean

# Technical data sheet



## Technical parameters

### Cooking range combined with static electric oven GN 2/1 - 4x burner

|                 |                                  |          |
|-----------------|----------------------------------|----------|
| <b>Model</b>    | <b>SAP Code</b>                  | 00110119 |
| SPT 70/80 21 GE | <b>A group of articles - web</b> | Stoves   |

**1. SAP Code:**

00110119

**2. Net Width [mm]:**

800

**3. Net Depth [mm]:**

700

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

98.00

**6. Gross Width [mm]:**

840

**7. Gross depth [mm]:**

800

**8. Gross Height [mm]:**

975

**9. Gross Weight [kg]:**

111.00

**10. Device type:**

Combined unit

**11. Construction type of device:**

With substructure

**12. Power electric [kW]:**

6.300

**13. Loading:**

400 V / 3N - 50 Hz

**14. Power gas [kW]:**

27.000

**15. Ignition:**

Eternal flame

**16. Type of gas:**

Natural gas, propane butane

**17. Material:**

AISI 304 top plate, AISI 430 cladding

**18. Worktop material:**

AISI 304

**19. Worktop Thickness [mm]:**

1.20

**20. Number of zones:**

4

**21. Power consumption of the zone 1 [kW]:**

7,5

**22. Power consumption of the zone 2 [kW]:**

7,5

**23. Power consumption of the zone 3 [kW]:**

7,5

**24. Power consumption of the zone 4 [kW]:**

4,5

**25. Number of power control stages:**

6

**26. Safety thermostat up to x ° C:**

360

**27. Adjustable feet:**

Yes

**28. Number of burners/hot plates:**

4

# Technical data sheet

## Technical parameters



### Cooking range combined with static electric oven GN 2/1 - 4x burner

|                 |                                  |          |
|-----------------|----------------------------------|----------|
| <b>Model</b>    | <b>SAP Code</b>                  | 00110119 |
| SPT 70/80 21 GE | <b>A group of articles - web</b> | Stoves   |

**29. Diameter of device [mm]:**

100

**30. Type of gas cooking zones:**

Brass burners

**31. Type of internal part of the appliance 1 (eg oven):**

Electric

**32. Type of internal part of the appliance 2 (eg oven):**

Static

**33. Width of internal part [mm]:**

682

**34. Depth of internal part [mm]:**

558

**35. Height of internal part [mm]:**

348

**36. Maximum temperature of the inner chamber [°C]:**

300

**37. Minimum temperature of the inner chamber [°C]:**

50

**38. Connection to a ball valve:**

1/2

**39. Cross-section of conductors CU [mm²]:**

1