

# Technical data sheet

## Product features



### Combi convection steam oven electric 7x GN 1/1 direct steam touch screen left door

|              |                                  |                     |
|--------------|----------------------------------|---------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00014276            |
| MPD 0711 EL  | <b>A group of articles - web</b> | Convection machines |



- Steam type: Injection
- Number of GN / EN: 7
- GN / EN size in device: GN 1/1, EN 600x400
- GN device depth: 65
- Control type: Touchscreen + buttons
- Display size: 7"
- Humidity control: Yes, indirect measuring
- Advanced moisture adjustment: No
- Delta T heat preparation: Yes
- Multi level cooking: Drawer program - control of heat treatment for each dish separately
- Door constitution: Vented safety double glass, removable for easy cleaning

|                            |                    |                               |                       |
|----------------------------|--------------------|-------------------------------|-----------------------|
| <b>SAP Code</b>            | 00014276           | <b>Steam type</b>             | Injection             |
| <b>Net Width [mm]</b>      | 907                | <b>Number of GN / EN</b>      | 7                     |
| <b>Net Depth [mm]</b>      | 752                | <b>GN / EN size in device</b> | GN 1/1, EN 600x400    |
| <b>Net Height [mm]</b>     | 837                | <b>GN device depth</b>        | 65                    |
| <b>Net Weight [kg]</b>     | 105.00             | <b>Control type</b>           | Touchscreen + buttons |
| <b>Power electric [kW]</b> | 9.600              | <b>Display size</b>           | 7"                    |
| <b>Loading</b>             | 400 V / 3N - 50 Hz |                               |                       |



# Technical data sheet

Technical drawing




## Combi convection steam oven electric 7x GN 1/1 direct steam touch screen left door

|              |                                  |                     |
|--------------|----------------------------------|---------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00014276            |
| MPD 0711 EL  | <b>A group of articles - web</b> | Convection machines |



- A Electrical connection
- B Softened water inlet (G3/4)
- C Equipotential bonding
- D Drain (Ø30)
- E Humidity discharge (Ø50)
- F Detergent hose inlet (MTE5W model)



\* Clearance requirements

### NOTE

\* Drain line must be vented

# Technical data sheet

## Technical parameters



### Combi convection steam oven electric 7x GN 1/1 direct steam touch screen left door

|              |                                  |                     |
|--------------|----------------------------------|---------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00014276            |
| MPD 0711 EL  | <b>A group of articles - web</b> | Convection machines |

**1. SAP Code:**

00014276

**2. Net Width [mm]:**

907

**3. Net Depth [mm]:**

752

**4. Net Height [mm]:**

837

**5. Net Weight [kg]:**

105.00

**6. Gross Width [mm]:**

940

**7. Gross depth [mm]:**

900

**8. Gross Height [mm]:**

970

**9. Gross Weight [kg]:**

125.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

9.600

**12. Loading:**

400 V / 3N - 50 Hz

**13. Material:**

AISI 304

**14. Exterior color of the device:**

Stainless steel

**15. Humidity control:**

Yes, indirect measuring

**16. Stacking availability:**

Yes

**17. Control type:**

Touchscreen + buttons

**18. Additional information:**

possibility of reverse door opening - handle on the right side (must be specified when ordering)

**19. Steam type:**

Injection

**20. Chimney for moisture extraction:**

Yes

**21. Delayed start:**

Yes

**22. Display size:**

7"

**23. Delta T heat preparation:**

Yes

**24. Unified finishing of meals EasyService:**

Yes

**25. Night cooking:**

Yes

**26. Multi level cooking:**

Drawer program - control of heat treatment for each dish separately

# Technical data sheet

## Technical parameters



### Combi convection steam oven electric 7x GN 1/1 direct steam touch screen left door

|              |                                  |                     |
|--------------|----------------------------------|---------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00014276            |
| MPD 0711 EL  | <b>A group of articles - web</b> | Convection machines |

**27. Advanced moisture adjustment:**

No

**28. Slow cooking:**

from 50 °C

**29. Fan stop:**

Interruption when door is opened, not braked

**30. Lighting type:**

LED lighting in the door, on one side

**31. Cavity material and shape:**

AISI 304, with rounded corners for easy cleaning

**32. Reversible fan:**

Yes

**33. Sustaince box:**

Yes

**34. Heating element material:**

Incoloy

**35. Probe:**

Yes

**36. Shower:**

Manual (optional)

**37. Distance between the layers [mm]:**

74

**38. Smoke-dry function:**

Yes

**39. Interior lighting:**

Yes

**40. Low temperature heat treatment:**

Yes

**41. Number of fans:**

2

**42. Number of fan speeds:**

3

**43. Number of programs:**

1000

**44. USB port:**

Yes, for uploading recipes and updating firmware

**45. Door constitution:**

Vented safety double glass, removable for easy cleaning

**46. Number of preset programs:**

100

**47. Number of recipe steps:**

9

**48. Minimum device temperature [°C]:**

50

**49. Maximum device temperature [°C]:**

300

**50. Device heating type:**

Combination of steam and hot air

**51. HACCP:**

Yes

**52. Number of GN / EN:**

7

**53. GN / EN size in device:**

GN 1/1, EN 600x400

**54. GN device depth:**

65

# Technical data sheet

Technical parameters



## Combi convection steam oven electric 7x GN 1/1 direct steam touch screen left door

|              |                                  |                     |
|--------------|----------------------------------|---------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00014276            |
| MPD 0711 EL  | <b>A group of articles - web</b> | Convection machines |

### 55. Food regeneration:

Yes

### 57. Diameter nominal:

DN 50

### 56. Cross-section of conductors CU [mm<sup>2</sup>]:

2

### 58. Water supply connection:

3/4"