Technical data sheet

Product features

Combi convection steam oven MINI electric 6x GN 1/1 automatic cleaning direct steam touch screen 5” left door 400 V / 3N		
Model	**SAP Code**	00014029



- Steam type: Injection
- Number of GN / EN: 6
- GN / EN size in device: GN 1/1
- GN device depth: 40
- Control type: Touchscreen + buttons
- Display size: 5”
- Humidity control: Yes, indirect measuring
- Advanced moisture adjustment: No
- Delta T heat preparation: Yes
- Multi level cooking: Drawer program - control of heat treatment for each dish separately
- Door constitution: Vented safety double glass, removable for easy cleaning


SAP Code	00014029	**Steam type**	Injection
Net Width [mm]	803	**Number of GN / EN**	6
Net Depth [mm]	519	**GN / EN size in device**	GN 1/1
Net Height [mm]	770	**GN device depth**	40
Net Weight [kg]	92.00	**Control type**	Touchscreen + buttons
Power electric [kW]	13.800	**Display size**	5”
Loading	400 V / 3N - 50 Hz		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Combi convection steam oven MINI electric 6x GN 1/1 automatic cleaning direct steam touch screen 5” left door 400 V / 3N		
Model	**SAP Code**	00014029



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Combi convection steam oven MINI electric 6x GN 1/1 automatic cleaning direct steam touch screen 5” left door 400 V / 3N

Model	SAP Code	00014029

1. **SAP Code:**
   00014029
2. **Net Width [mm]:**
   803
3. **Net Depth [mm]:**
   519
4. **Net Height [mm]:**
   770
5. **Net Weight [kg]:**
   92.00
6. **Gross Width [mm]:**
   580
7. **Gross depth [mm]:**
   920
8. **Gross Height [mm]:**
   980
9. **Gross Weight [kg]:**
   104.00
10. **Device type:**
    Electric unit
11. **Power electric [kW]:**
    13.800
12. **Loading:**
    400 V / 3N - 50 Hz
13. **Material:**
    AISI 304
14. **Exterior color of the device:**
    Stainless steel
15. **Humidity control:**
    Yes, indirect measuring
16. **Stacking availability:**
    Yes
17. **Control type:**
    Touchscreen + buttons
18. **Additional information:**
    possibility of reverse door opening - handle on the right side (must be specified when ordering)
19. **Steam type:**
    Injection
20. **Chimney for moisture extraction:**
    Yes
21. **Delayed start:**
    Yes
22. **Display size:**
    5”
23. **Delta T heat preparation:**
    Yes
24. **Unified finishing of meals EasyService:**
    Yes
25. **Night cooking:**
    Yes
26. **Washing system:**
    Open
27. **Detergent type:**
    Liquid washing detergent + water rinse
42. **Low temperature heat treatment:**
    Yes

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Combi convection steam oven MINI electric 6x GN 1/1 automatic cleaning direct steam touch screen 5” left door 400 V / 3N		
Model	**SAP Code**	00014029

28. Multi level cooking:
Drawer program - control of heat treatment for each dish separately

29. Advanced moisture adjustment:
No

30. Slow cooking:
from 50 °C

31. Fan stop:
Interruption when door is opened, not braked

32. Lighting type:
LED lighting in the door, on one side

33. Cavity material and shape:
AISI 304, with rounded corners for easy cleaning

34. Reversible fan:
Yes

35. Sustaince box:
Yes

36. Heating element material:
Incoloy

37. Probe:
Optional

38. Shower:
Manual (optional)

39. Distance between the layers [mm]:
30

40. Smoke-dry function:
Yes

41. Interior lighting:
Yes

43. Number of fans:
1

44. Number of fan speeds:
3

45. Number of programs:
1000

46. USB port:
Yes, for uploading recipes and updating firmware

47. Door constitution:
Vented safety double glass, removable for easy cleaning

48. Number of preset programs:
100

49. Number of recipe steps:
9

50. Minimum device temperature [°C]:
50

51. Maximum device temperature [°C]:
300

52. Device heating type:
Combination of steam and hot air

53. HACCP:
Yes

54. Number of GN / EN:
6

55. GN / EN size in device:
GN 1/1

56. GN device depth:
40

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Combi convection steam oven MINI electric 6x GN 1/1 automatic cleaning direct steam touch screen 5” left door 400 V / 3N		
Model	**SAP Code**	00014029

57. Food regeneration:
Yes

58. Cross-section of conductors CU [mm²]:
4

59. Diameter nominal:
DN 50

60. Water supply connection:
3/4”

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062