

# Technical data sheet

## Product features



### Salamander manual 1 heating element adjustable grid 230 V

|              |                                  |             |
|--------------|----------------------------------|-------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00003925    |
| SE 40 M      | <b>A group of articles - web</b> | Salamanders |



- Removable rear wall of the device: Yes
- Width of internal part [mm]: 430
- Depth of internal part [mm]: 310
- Number of grid positions: 5

|                        |          |                            |                    |
|------------------------|----------|----------------------------|--------------------|
| <b>SAP Code</b>        | 00003925 | <b>Net Weight [kg]</b>     | 14.00              |
| <b>Net Width [mm]</b>  | 604      | <b>Power electric [kW]</b> | 2.200              |
| <b>Net Depth [mm]</b>  | 369      | <b>Loading</b>             | 230 V / 1N - 50 Hz |
| <b>Net Height [mm]</b> | 378      |                            |                    |




# Technical data sheet

Technical drawing



## Salamander manual 1 heating element adjustable grid 230 V

|              |                                  |             |
|--------------|----------------------------------|-------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00003925    |
| SE 40 M      | <b>A group of articles - web</b> | Salamanders |



# Technical data sheet

## Technical parameters



### Salamander manual 1 heating element adjustable grid 230 V

|              |                                  |             |
|--------------|----------------------------------|-------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00003925    |
| SE 40 M      | <b>A group of articles - web</b> | Salamanders |

**1. SAP Code:**

00003925

**2. Net Width [mm]:**

604

**3. Net Depth [mm]:**

369

**4. Net Height [mm]:**

378

**5. Net Weight [kg]:**

14.00

**6. Gross Width [mm]:**

520

**7. Gross depth [mm]:**

640

**8. Gross Height [mm]:**

440

**9. Gross Weight [kg]:**

15.00

**10. Device type:**

Electric unit

**11. Material:**

Stainless steel

**12. Power electric [kW]:**

2.200

**13. Loading:**

230 V / 1N - 50 Hz

**14. Control type:**

Mechanical

**15. Number of grid positions:**

5

**16. Protection of controls:**

IPX4

**17. Number of power control stages:**

3

**18. Number of internal parts:**

5

**19. Removable rear wall of the device:**

Yes

**20. Width of internal part [mm]:**

430

**21. Depth of internal part [mm]:**

310

**22. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,5