# Technical data sheet

Product features

| Fry-top griddle plate 31x65 electric smooth on open cabinet 400 V / 3N | | |
|---|---|---|
| **Model** | **SAP Code** | 00012295 |
| FTH 90/40 E | **A group of articles - web** | Grills and grill plates |



- Top type: Smooth
- Griddle thickness [mm]: 15.00
- Worktop material: Sandblasted steel
- Maximum device temperature [°C]: 300

| | | | |
|---|---|---|---|
| **SAP Code** | 00012295 | **Net Weight [kg]** | 71.00 |
| **Net Width [mm]** | 400 | **Power electric [kW]** | 6.000 |
| **Net Depth [mm]** | 900 | **Loading** | 400 V / 3N - 50 Hz |
| **Net Height [mm]** | 900 | **Top type** | Smooth |





RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062


# Technical data sheet

Technical drawing

| Fry-top griddle plate 31x65 electric smooth on open cabinet 400 V / 3N | | |
|---|---|---|
| **Model** | **SAP Code** | 00012295 |
| FTH 90/40 E | **A group of articles - web** | Grills and grill plates |








RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Product benefits

| Fry-top griddle plate 31x65 electric smooth on open cabinet 400 V / 3N | | |
|---|---|---|
| **Model** | **SAP Code** | 00012295 |
| FTH 90/40 E | **A group of articles - web** | Grills and grill plates |

**1** **All-stainless design**

long life
corrosion resistance of the top plate material

- savings on service interventions
- easier and faster operation

**2** **Degree of protection of the control elements IPX4**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

**3** **Outlet for waste liquids**

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

**4** **High detachable hem**

better hygienic conditions
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

**5** **Smooth steel plate**

good heat transfer and the surface does not get scratched
enables preparation on smooth or grooved plates

- time-saving for food preparation
- no reheating and long cooking times



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

# Technical data sheet

Technical parameters

| Fry-top griddle plate 31x65 electric smooth on open cabinet 400 V / 3N | | |
|---|---|---|
| **Model** | **SAP Code** | 00012295 |
| FTH 90/40 E | **A group of articles - web** | Grills and grill plates |

1. **SAP Code:**
   00012295
2. **Net Width [mm]:**
   400
3. **Net Depth [mm]:**
   900
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   71.00
6. **Gross Width [mm]:**
   970
7. **Gross depth [mm]:**
   440
8. **Gross Height [mm]:**
   1140
9. **Gross Weight [kg]:**
   80.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Stationary
12. **Power electric [kW]:**
    6.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX4
15. **Material:**
    AISI 304 top plate, AISI 430 cladding
16. **Worktop material:**
    Sandblasted steel
17. **Worktop Thickness [mm]:**
    15.00
18. **Maximum device temperature [°C]:**
    300
19. **Minimum device temperature [°C]:**
    50
20. **Adjustable feet:**
    Yes
21. **Griddle thickness [mm]:**
    15.00
22. **Top type:**
    Smooth
23. **Cross-section of conductors CU [mm²]:**
    1



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062