

Technical data sheet



Product features

Grilling board electric smooth durable chrome with contact plate

| | | |
|----------------------|----------------------------------|-------------------------|
| Model | SAP Code | 00021100 |
| FTHC 30 ED + KD 30 T | A group of articles - web | Grills and grill plates |



- Top type: Smooth
- Griddle dimensions [mm x mm]: 320 x 480 + 320 x 380
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Independent heating zones: Separate control for top and bottom plate
- Maximum device temperature [°C]: 300
- Surface finish: durable chrome
- Removable rim: No

| | | | |
|------------------------|----------|-------------------------------------|-----------------------|
| SAP Code | 00021100 | Power electric [kW] | 6.000 |
| Net Width [mm] | 330 | Loading | 2x230 V / 1N - 50 Hz |
| Net Depth [mm] | 660 | Griddle dimensions [mm x mm] | 320 x 480 + 320 x 380 |
| Net Height [mm] | 400 | Top type | Smooth |
| Net Weight [kg] | 40.00 | | |





Technical data sheet



Technical drawing

Grilling board electric smooth durable chrome with contact plate

| | | |
|----------------------|----------------------------------|-------------------------|
| Model | SAP Code | 00021100 |
| FTHC 30 ED + KD 30 T | A group of articles - web | Grills and grill plates |



Grilling board electric smooth durable chrome with contact plate

| | | |
|----------------------|----------------------------------|-------------------------|
| Model | SAP Code | 00021100 |
| FTHC 30 ED + KD 30 T | A group of articles - web | Grills and grill plates |

1

Celonerezové provedení

dlouhá životnost
odolnost materiálu z nerezové oceli aisi 304
materiál nerezne

- úspory na servisních zásazích
- snadné čištění zařízení

2

Stupeň krytí ovládacích prvků ipx4

bezúdržbový systém
odolnost proti stříkající vodě
dlouhá životnost

- úspory na servisních zásazích
- snadné čištění zařízení

3

Zásuvka na odpadní tekutiny

zajišťuje skapání oleje do zásuvky

- snadná údržba
- snadné čištění

4

Vysoký neodnímatelný lem

lepší hygienické podmínky
zabránění stříkání tuku na vedlejší zařízení

- snadná údržba
- snadné čištění

5

Plotna z pochromované oceli

produkt se méně napéká a lépe se čistí
dobré prohřátí masa s rýhou

- úspora času při přípravě pokrmů
- nedochází k neohřátí a dlouhé přípravě pokrmů

6

Varná jednotka pro použití na stole nebo na podestavbě

variabilní použití
možnost umístění do menších prostor

- snadná manipulace
- úspora nákladů na podestavbu

Technical data sheet



Technical parameters

Grilling board electric smooth durable chrome with contact plate

| | | |
|----------------------|----------------------------------|-------------------------|
| Model | SAP Code | 00021100 |
| FTHC 30 ED + KD 30 T | A group of articles - web | Grills and grill plates |

1. SAP Code:

00021100

2. Net Width [mm]:

330

3. Net Depth [mm]:

660

4. Net Height [mm]:

400

5. Net Weight [kg]:

40.00

6. Gross Width [mm]:

375

7. Gross depth [mm]:

685

8. Gross Height [mm]:

450

9. Gross Weight [kg]:

44.00

10. Device type:

Electric unit

11. Construction type of device:

Table top

12. Power electric [kW]:

6.000

13. Loading:

2x230 V / 1N - 50 Hz

14. Protection of controls:

IPX4

15. Exterior color of the device:

Stainless steel

16. Material:

AISI 430

17. Indicators:

operation and warm-up

18. Surface finish:

durable chrome

19. Maximum device temperature [°C]:

300

20. Minimum device temperature [°C]:

50

21. Griddle dimensions [mm x mm]:

320 x 480 + 320 x 380

22. Griddle thickness [mm]:

10.00

23. Container for liquid fat:

Yes

24. Independent heating zones:

Separate control for top and bottom plate

25. Removable rim:

No

26. Uniform heating:

Yes

27. Top type:

Smooth

28. Cross-section of conductors CU [mm²]:

2,5