

# Technical data sheet

## Product features



### Refrigeration cabinet 350 l glass door 4x grid, stainless steel

|              |                                  |                                    |
|--------------|----------------------------------|------------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00013175                           |
| DR 400 GS    | <b>A group of articles - web</b> | Refrigeration and freezer cabinets |



- Chamber volume [l]: 350
- Minimum device temperature [°C]: 0
- Maximum device temperature [°C]: 10
- Insulation thickness [mm]: 40
- Control type: Digital
- Door lock: Yes
- Opening of device: Two-sided
- Annual energy consumption [kWh]: 564

|                            |                    |                                        |       |
|----------------------------|--------------------|----------------------------------------|-------|
| <b>SAP Code</b>            | 00013175           | <b>Chamber volume [l]</b>              | 350   |
| <b>Net Width [mm]</b>      | 600                | <b>Gross Volume [m3]</b>               | 0.847 |
| <b>Net Depth [mm]</b>      | 615                | <b>Net Volume [m3]</b>                 | 0.690 |
| <b>Net Height [mm]</b>     | 1870               | <b>Minimum device temperature [°C]</b> | 0     |
| <b>Net Weight [kg]</b>     | 73.00              | <b>Maximum device temperature [°C]</b> | 10    |
| <b>Power electric [kW]</b> | 0.170              | <b>Refrigerant</b>                     | R290  |
| <b>Loading</b>             | 230 V / 1N - 50 Hz | <b>Climate class</b>                   | 3     |
| <b>Energy class</b>        | D                  |                                        |       |


# Technical data sheet

Technical drawing



## Refrigeration cabinet 350 l glass door 4x grid, stainless steel

|              |                                  |                                    |
|--------------|----------------------------------|------------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00013175                           |
| DR 400 GS    | <b>A group of articles - web</b> | Refrigeration and freezer cabinets |



# Technical data sheet

## Technical parameters



### Refrigeration cabinet 350 l glass door 4x grid, stainless steel

|              |                                  |                                    |
|--------------|----------------------------------|------------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00013175                           |
| DR 400 GS    | <b>A group of articles - web</b> | Refrigeration and freezer cabinets |

**1. SAP Code:**

00013175

**2. Net Width [mm]:**

600

**3. Net Depth [mm]:**

615

**4. Net Height [mm]:**

1870

**5. Net Weight [kg]:**

73.00

**6. Gross Width [mm]:**

625

**7. Gross depth [mm]:**

645

**8. Gross Height [mm]:**

2100

**9. Gross Weight [kg]:**

78.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.170

**12. Loading:**

230 V / 1N - 50 Hz

**13. Energy class:**

D

**14. Refrigerant:**

R290

**15. Cooling type:**

Static with fan

**16. Material:**

Stainless steel

**17. Min ambient temperature [°C]:**

10

**18. Max ambient temperature [°C]:**

43

**19. Device properties 2:**

Cooling

**20. Chamber volume [l]:**

350

**21. Gross Volume [m3]:**

0.847

**22. Net Volume [m3]:**

0.690

**23. Worktop material:**

SS201

**24. Insulation thickness [mm]:**

40

**25. Opening of device:**

Two-sided

**26. Gasket:**

Yes

**27. Number of doors:**

1

**28. Unit:**

Yes

# Technical data sheet

## Technical parameters



### Refrigeration cabinet 350 l glass door 4x grid, stainless steel

|              |                                  |                                    |
|--------------|----------------------------------|------------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00013175                           |
| DR 400 GS    | <b>A group of articles - web</b> | Refrigeration and freezer cabinets |

**29. Control type:**

Digital

**34. Defrosting cycle:**

Yes

**30. Door lock:**

Yes

**35. Number of grids:**

4

**31. Annual energy consumption [kWh]:**

564

**36. Climate class:**

3

**32. Minimum device temperature [°C]:**

0

**37. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,5

**33. Maximum device temperature [°C]:**

10