

Product features

Oven for quick preparation		
Model	SAP Code	00021417
SO 4	A group of articles - web	Convection machines




- Steam type: Injection
- Number of GN / EN: 1
- GN / EN size in device: GN 2/3
- Control type: Touchscreen
- Display size: 7"
- Humidity control: Yes, indirect measuring
- Advanced moisture adjustment: No
- Multi level cooking: No


SAP Code	00021417	Steam type	Injection
Net Width [mm]	431	Number of GN / EN	1
Net Depth [mm]	637	GN / EN size in device	GN 2/3
Net Height [mm]	510	Control type	Touchscreen
Net Weight [kg]	45.00	Display size	7"
Power electric [kW]	3.300	Maximal height of GN [mm]	400
Loading	230 V / 1N - 50 Hz		




Technical drawing

Oven for quick preparation		
Model	SAP Code	00021417
SO 4	A group of articles - web	Convection machines







A Electrical connection

E Humidity discharge

2024-02-15 1 www.rmgastro.com



Product benefits

Oven for quick preparation		
Model	SAP Code	00021417
SO 4	A group of articles - web	Convection machines

7" touch color display

clarity, simple clear control

- saving time and manpower, speed of control

No filter or hood
it is not necessary to clean the filter, hood, or replace them

- simple serviceability, cost savings

No installation required immediate use

time saving, cost saving

Food preparation in less than 2.5 minutes

speed of preparation = food heating

- time saving, cost saving

It allows you to cook, heat and regenerate

multiple functions in one device

- saving space to purchase more devices, saving costs

Combined cooking system

the food is warm inside, crispy on the surface

- tastier food - not rubbery like from the microwave

___ No water connection required

variability of device placement

 simple serviceability, cost saving, time saving, space saving

Up to 18 preset recipes

intuitive control, fast control

saving time, saving human labor, less qualified personnel

Personalization of recipes

recipes tailored to users

labor saving and customization

Removable internal parts of the device

easy to clean and service

time saving, cost saving

Non-stick tray 2/3 GN

without the need to use parchment, baking or aluminum paper

 cost savings, food preparation material savings, time savings

PoP tuner
automatic adjustment of temperature and humidity according to the desired result of the customer

tastier food, satisfied customer, satisfied service

PoP Steam + Air Impingement

steam technology to speed up the process

time saving, crispy food, tasty food that is not rubbery

Flow - convection

High-speed circulation of hot air inside the chamber

 tasty crispy dish on the surface, warm inside, satisfied customer

High performance

up to 400 cooking cycles with one water tank (3l)

very low operating costs, saving time for operating the device



Technical parameters

Oven for quick preparation		
Model	SAP Code	00021417
SO 4	A group of articles - web	Convection machines
1. SAP Code: 00021417		14. Width of internal part [mm]: 360
2. Net Width [mm]: 431		15. Depth of internal part [mm]: 445
3. Net Depth [mm]: 637		16. Height of internal part [mm]: 255
4. Net Height [mm]: 510		17. Humidity control: Yes, indirect measuring
5. Net Weight [kg]: 45.00		18. Stacking availability: No
6. Gross Width [mm]: 470		19. Control type: Touchscreen
7. Gross depth [mm]: 720		20. Additional information: 1TRAY GN2/3; minimum distance from other device - 5 cm; The use of bottle water prevents the formation of limestone inside the water pipes.
8. Gross Height [mm]: 620		21. Boiler capacity [l]: 0.00
9. Gross Weight [kg]: 60.00		22. Steam type: Injection
10. Device type: Electric unit		23. Sturdier version: No
11. Power electric [kW]: 3.300		24. Display size:
12. Loading: 230 V / 1N - 50 Hz		25. Multi level cooking:
13. Exterior color of the device:		26. Advanced moisture adjustment:

Black

No



Technical parameters

Oven for quick preparation		
Model	SAP Code	00021417
SO 4	A group of articles - web	Convection machines
27. Slow cooking: Ne		32. Device heating type: Steam
28. Standard equipment for device: Big oven shovel		33. Number of GN / EN:
29. Number of burners/hot plates:		34. GN / EN size in device: GN 2/3
30. USB port: Yes, for Firmware actualisation		35. Maximal height of GN [mm]: 400
31. Number of preset programs:		36. Cross-section of conductors CU [mm²]:

0,75

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

18