Technical data sheet

Product features

Automatic coffee machine 90 cups per hour 230 V / 1N		
Model	**SAP Code**	00038643
X680	**A group of articles - web**	Coffee machines



- Number of levers: 0
- Number of coffees / hour: 90
- Boiler capacity [l]: 0.70
- Control type: Touchscreen
- Suction pump: Yes - also suitable for use in catering, independent of the pressure in the water line
- Exterior color of the device: Black


SAP Code	00038643	**Boiler capacity [l]**	0.70
Net Width [mm]	380	**Number of coffees / hour**	90
Net Depth [mm]	560	**Noise of device**	55-70
Net Height [mm]	690	**Drain connection**	Yes
Net Weight [kg]	28.00	**Display size**	10”
Power electric [kW]	2.500	**Dispeser**	5-16 g
Loading	230 V / 1N - 50 Hz	**Ground coffee container**	1500
Number of levers	0		


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Automatic coffee machine 90 cups per hour 230 V / 1N		
Model	**SAP Code**	00038643
X680	**A group of articles - web**	Coffee machines





RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Automatic coffee machine 90 cups per hour 230 V / 1N		
Model	**SAP Code**	00038643
X680	**A group of articles - web**	Coffee machines

1 **Intutive 10” HD Android touch display, easy to select 30+ beverages by pages**

easy operation

- saving time and costs in the qualification of personnel or users

2 **3 frendly UI modes: Standard/Self-service/ Professional for different scenerios**

variability of use

- return from the possibility of use in a wide range of gastro operations

3 **Separate hot water outlet for pure tea, steam wand can be optional**

use also for options other than coffee preparation

- return from the possibility of use for other purposes - e.g. tea, cocoa, and others

4 **Accurate grinding system and nice extraction brewing system**

professional products for the most demanding consumers

- return from the satisfaction of the most demanding customers and users

5 **Automatic milk system cleaning functions for maximum hygeine**

beverages without defects, impurities - meet hygiene standards

- saving time and costs in maintenance

6 **4L water tank and main water connection available**

variable water source for beverage preparation

- possibility of using water from the water supply system, bottled water or tap water

7 **Well-structured stastics of beverages consumed and maintenance record**

automatic operator’s own overview of the device

- saving time in inspections, cleaning and servicing of the device

8 **Optional MDB port for payment device connection**

possibility of use also for partially self-service operations

- saving human labor, costs and time

9 **Optional WIFI/4G module to connect IOT platform to monitor the machine real time status**

absolute overview of the device remotely

- saving human labor, costs and time

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Automatic coffee machine 90 cups per hour 230 V / 1N		
Model	**SAP Code**	00038643
X680	**A group of articles - web**	Coffee machines

1. **SAP Code:**
   00038643
2. **Net Width [mm]:**
   380
3. **Net Depth [mm]:**
   560
4. **Net Height [mm]:**
   690
5. **Net Weight [kg]:**
   28.00
6. **Gross Width [mm]:**
   525
7. **Gross depth [mm]:**
   740
8. **Gross Height [mm]:**
   700
9. **Gross Weight [kg]:**
   35.00
10. **Device type:**
    Electric unit
11. **Exterior color of the device:**
    Black
12. **Power electric [kW]:**
    2.500
13. **Loading:**
    230 V / 1N - 50 Hz
14. **Coffee grinder:**
    Yes
15. **Cappuccino maker:**
    Yes
16. **Boiler capacity [l]:**
    0.70
17. **Number of coffees / hour:**
    90
18. **Suction pump:**
    Yes - also suitable for use in catering, independent of the pressure in the water line
19. **Filling :**
    Automatic
20. **Control type:**
    Touchscreen
21. **Volume capacity of the container [l]:**
    4.00
22. **Number of levers:**
    0
23. **Noise of device:**
    55-70
24. **Cross-section of conductors CU [mm²]:**
    0,75
25. **Recommended accessories:**
    00038644; 00039488;00039489;00039716

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062