Technical data sheet

Product features

Food display island chilled GN 6-1/1 Hemlock 230 V / 1N		
Model	**SAP Code**	00012112
ES GREEN+ 6H	**A group of articles - web**	Sideboards and showcases



- Buffet type: GREEN - cooled, static cooling, deep
- Device properties: Chilled
- Number of GN / EN: 6
- GN / EN size in device: GN 1/1
- GN device depth: 200
- Minimum device temperature [°C]: 4
- Maximum device temperature [°C]: 8


SAP Code	00012112	**Loading**	230 V / 1N - 50 Hz
Net Width [mm]	2144	**Number of GN / EN**	6
Net Depth [mm]	650	**GN / EN size in device**	GN 1/1
Net Height [mm]	1288	**GN device depth**	200
Net Weight [kg]	125.00	**Minimum device temperature [°C]**	4
Power electric [kW]	0.247	**Maximum device temperature [°C]**	8

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Food display island chilled GN 6-1/1 Hemlock 230 V / 1N		
Model	**SAP Code**	00012112
ES GREEN+ 6H	**A group of articles - web**	Sideboards and showcases



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Food display island chilled GN 6-1/1 Hemlock 230 V / 1N		
Model	**SAP Code**	00012112
ES GREEN+ 6H	**A group of articles - web**	Sideboards and showcases

1 **Static cooling**

simultaneous use of direct injection and boiler, maintenance of 100% humidity, or its regulation

- less drying of food
- more economical

2 **All-stainless steel construction**

harmless to health for contact with food
robustness

- perfect sanitation
- long service life

3 **Rounded corners**

basins without sharp edges and corners

- higher hygienic safety
- time saving due to easy cleaning

4 **GN insertion up to 200mm**

variability of use

- possibility of cooling different types of food and larger volumes
- saving time, space, costs

5 **LED lighting**

variability of use

- economical lighting
- attractive appearance

6 **Travel wheels**

portable buffet table

- greater flexibility in dispensing
- possibility of use at banquets
- easier and safer handling

7 **Breathing galley with trigger**

galerka made of hygienic Plexiglas with motorized displacement

- hygienic food protection
- the possibility of sealing before dispensing - extending the shelf life of food

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Food display island chilled GN 6-1/1 Hemlock 230 V / 1N		
Model	**SAP Code**	00012112
ES GREEN+ 6H	**A group of articles - web**	Sideboards and showcases

1. **SAP Code:**
   00012112
2. **Net Width [mm]:**
   2144
3. **Net Depth [mm]:**
   650
4. **Net Height [mm]:**
   1288
5. **Net Weight [kg]:**
   125.00
6. **Gross Width [mm]:**
   2208
7. **Gross depth [mm]:**
   714
8. **Gross Height [mm]:**
   1100
9. **Gross Weight [kg]:**
   151.10
10. **Device type:**
    Electric unit
11. **Buffet type:**
    GREEN - cooled, static cooling, deep
12. **Device properties:**
    Chilled
13. **Exterior color of the device:**
    Hemlock
14. **Power electric [kW]:**
    0.247
15. **Loading:**
    230 V / 1N - 50 Hz
16. **Number of GN / EN:**
    6
17. **GN / EN size in device:**
    GN 1/1
18. **GN device depth:**
    200
19. **Minimum device temperature [°C]:**
    4
20. **Maximum device temperature [°C]:**
    8
21. **Interior lighting:**
    No
22. **Cross-section of conductors CU [mm²]:**
    0,5
23. **Refrigerant:**
    R290

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062