Technical data sheet

Product features

Electric fryer 2 baskets 0,77 kW/l, 13+13 l on cabinet 400 V / 3N

Model	SAP Code	00007380
FE 61/13 ELT	A group of articles - web	Fryers and French Fries Holders



- Basin volume [l]: 13
- Drain type: Trough the cabinet
- Drain: Yes
- Maximum device temperature [°C]: 190
- Minimum device temperature [°C]: 50
- Material: Stainless steel
- Heating location: Inside the tank
- Ignition: Electric
- Number of baskets: 2
- Basket size [mm]: 2x 210 x 300 x 120


SAP Code	00007380	**Basin volume [l]**	13
Net Width [mm]	658	**Number of basins**	2
Net Depth [mm]	609	**Number of baskets**	2
Net Height [mm]	900	**Basket size [mm]**	2x 210 x 300 x 120
Net Weight [kg]	32.00	**Ratio power/volume [kW/l]**	0.77
Power electric [kW]	19.800	**Production of fries [kg/h]**	28
Loading	400 V / 3N - 50 Hz		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Electric fryer 2 baskets 0,77 kW/l, 13+13 l on cabinet 400 V / 3N		
Model	**SAP Code**	00007380
FE 61/13 ELT	**A group of articles - web**	Fryers and French Fries Holders



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Electric fryer 2 baskets 0,77 kW/l, 13+13 l on cabinet 400 V / 3N		
Model	**SAP Code**	00007380
FE 61/13 ELT	**A group of articles - web**	Fryers and French Fries Holders

1 **All-stainless steel bathtub**

long life
resistance of AISI 304 stainless steel material
the material does not cut

- savings on service interventions
- easier and faster operation

2 **Degree of protection of the control elements IPX4**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3 **Outlet into a removable collector in the base with a sieve against coarse dirt**

outlet of the bath into the prepared container

- easy and safe handling

4 **Cold zone**

prevents food residues from burning
there is no change in the taste of the oil

- longer oil life
- easy access and maintenance

5 **Removable heating element**

longer lifetime
easy access

- fully removable electric box with heating element for convenient cleaning and servicing
- easy access even to corners and time saving

6 **Higher rear chimney**

prevention of spontaneous combustion

- safer heat dissipation and separation of oil and ventilation from the fryer

7 **2 thermostats**

safety and working thermostat

- traffic safety
- prevention of spontaneous combustion
- Prevention of oil flashover

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Electric fryer 2 baskets 0,77 kW/l, 13+13 l on cabinet 400 V / 3N

Model	SAP Code	00007380
FE 61/13 ELT	A group of articles - web	Fryers and French Fries Holders

1. **SAP Code:** 00007380
2. **Net Width [mm]:** 658
3. **Net Depth [mm]:** 609
4. **Net Height [mm]:** 900
5. **Net Weight [kg]:** 32.00
6. **Gross Width [mm]:** 705
7. **Gross depth [mm]:** 725
8. **Gross Height [mm]:** 1120
9. **Gross Weight [kg]:** 38.00
10. **Device type:** Electric unit
11. **Construction type of device:** With substructure
12. **Power electric [kW]:** 19.800
13. **Loading:** 400 V / 3N - 50 Hz
14. **Ignition:** Electric
15. **Protection of controls:** IPX4
16. **Material:** Stainless steel
17. **Indicators:** operation and warm-up
18. **Worktop material:** AISI 304
19. **Worktop Thickness [mm]:** 0.80
20. **Standard equipment for device:** lid and basket
21. **Basin volume [l]:** 13
22. **Maximum device temperature [°C]:** 190
23. **Minimum device temperature [°C]:** 50
24. **Safety thermostat up to x ° C:** 235
25. **Adjustable feet:** Yes
26. **Heating element material:** AISI 304
27. **Number of baskets:** 2
28. **Number of basins:** 2

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Electric fryer 2 baskets 0,77 kW/l, 13+13 l on cabinet 400 V / 3N		
Model	**SAP Code**	00007380
FE 61/13 ELT	**A group of articles - web**	Fryers and French Fries Holders

29. Basket size [mm]:
2x 210 x 300 x 120

30. Basin material:
AISI 304 - High quality stainless steel

31. Ratio power/volume [kW/l]:
0.77

32. Production of fries [kg/h]:
28

33. Heating element construction:
Large surface area coiled heating element for extended service life and even heating of the oil bath

34. Drain type:
Trough the cabinet

35. Drain:
Yes

36. Heating location:
Inside the tank

37. Cross-section of conductors CU [mm²]:
10

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062