

# Technical data sheet

## Product features



### Multi-function braising pan electric 6 l TOP 230 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00010041 |
| FT 30 ELMK   | <b>A group of articles - web</b> | Pans     |



- Bottom thickness: 10.00
- Basin volume [l]: 6
- Usable volume [l]: 6
- Protection of controls: IPX4

|                            |          |                                     |                    |
|----------------------------|----------|-------------------------------------|--------------------|
| <b>SAP Code</b>            | 00010041 | <b>Loading</b>                      | 230 V / 1N - 50 Hz |
| <b>Net Width [mm]</b>      | 328      | <b>Basin volume [l]</b>             | 6                  |
| <b>Net Depth [mm]</b>      | 630      | <b>Usable volume [l]</b>            | 6                  |
| <b>Net Height [mm]</b>     | 447      | <b>Width of internal part [mm]</b>  | 320                |
| <b>Net Weight [kg]</b>     | 26.20    | <b>Depth of internal part [mm]</b>  | 530                |
| <b>Power electric [kW]</b> | 3.000    | <b>Height of internal part [mm]</b> | 60                 |






# Technical data sheet

Technical drawing



## Multi-function braising pan electric 6 l TOP 230 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00010041 |
| FT 30 ELMK   | <b>A group of articles - web</b> | Pans     |



# Technical data sheet



## Product benefits

### Multi-function braising pan electric 6 l TOP 230 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00010041 |
| FT 30 ELMK   | <b>A group of articles - web</b> | Pans     |

1

#### All-stainless steel cladding except for the hob

long life  
resistance of AISI 304 stainless steel material  
the material does not cut

- savings on service interventions
- easier and faster operation

2

#### Degree of protection of the control elements IPX4

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- greater job security for staff

3

#### The outlet on the front side is removable

the possibility of draining the oil into the prepared container and a Teflon pin in the container

- easy and safe handling
- better ergonomics and working conditions for operators
- better use of space removability

4

#### Steel plate

long life  
resistance of a ground steel plate with a thickness of 10 mm

- faster warm-up
- toasts better than stainless steel
- food does not stick to it

5

#### Control on the short side

suitable for lack of space

- possibility of placing more devices

# Technical data sheet

## Technical parameters



### Multi-function braising pan electric 6 l TOP 230 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00010041 |
| FT 30 ELMK   | <b>A group of articles - web</b> | Pans     |

**1. SAP Code:**

00010041

**2. Net Width [mm]:**

328

**3. Net Depth [mm]:**

630

**4. Net Height [mm]:**

447

**5. Net Weight [kg]:**

26.20

**6. Gross Width [mm]:**

375

**7. Gross depth [mm]:**

685

**8. Gross Height [mm]:**

450

**9. Gross Weight [kg]:**

30.50

**10. Device type:**

Electric unit

**11. Construction type of device:**

Table top

**12. Power electric [kW]:**

3.000

**13. Loading:**

230 V / 1N - 50 Hz

**14. Protection of controls:**

IPX4

**15. Material:**

AISI 430

**16. Indicators:**

operation and warm-up

**17. Standard equipment for device:**

teflon pin with overflow

**18. Basin volume [l]:**

6

**19. Maximum device temperature [°C]:**

300

**20. Minimum device temperature [°C]:**

50

**21. Adjustable feet:**

Yes

**22. Bottom thickness:**

10.00

**23. Usable volume [l]:**

6

**24. Type of drain valve:**

with safety lock

**25. Drain:**

Yes

**26. Width of internal part [mm]:**

320

**27. Depth of internal part [mm]:**

530

**28. Height of internal part [mm]:**

60

# Technical data sheet

Technical parameters



## Multi-function braising pan electric 6 l TOP 230 V

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00010041 |
| FT 30 ELMK   | <b>A group of articles - web</b> | Pans     |

### 29. Cross-section of conductors CU [mm<sup>2</sup>]:

0,75