Technical data sheet

Product features

Fry-top griddle plate 80x51 electric smooth without cabinet 400 V / 3N

Model	SAP Code	00110058
FTH 70/08 E	A group of articles - web	Grills and grill plates



- Top type: Smooth
- Griddle dimensions [mm x mm]: 800 x 510
- Griddle thickness [mm]: 12.00
- Worktop material: Sandblasted steel
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: sandblasted surface without coating
- Removable rim: Yes


SAP Code	00110058	**Power electric [kW]**	9.000
Net Width [mm]	800	**Loading**	400 V / 3N - 50 Hz
Net Depth [mm]	700	**Griddle dimensions [mm x mm]**	800 x 510
Net Height [mm]	330	**Top type**	Smooth
Net Weight [kg]	66.00		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Fry-top griddle plate 80x51 electric smooth without cabinet 400 V / 3N		
Model	**SAP Code**	00110058
FTH 70/08 E	**A group of articles - web**	Grills and grill plates



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Fry-top griddle plate 80x51 electric smooth without cabinet 400 V / 3N		
Model	**SAP Code**	00110058
FTH 70/08 E	**A group of articles - web**	Grills and grill plates

1 **All-stainless design**

long life
corrosion resistance of the top plate material

- savings on service interventions
- easier and faster operation

2 **Degree of protection of the control elements IPX4**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3 **Outlet for waste liquids**

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

4 **High detachable hem**

better hygienic conditions
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

5 **Smooth steel plate**

good heat transfer and the surface does not get scratched
enables preparation on smooth or grooved plates

- time-saving for food preparation
- no reheating and long cooking times

6 **Cooking unit for use on a table or on a base**

variable use
the possibility of placement in smaller spaces

- easy handling
- cost savings on substructure

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Fry-top griddle plate 80x51 electric smooth without cabinet 400 V / 3N		
Model	**SAP Code**	00110058
FTH 70/08 E	**A group of articles - web**	Grills and grill plates

1. **SAP Code:**
   00110058
2. **Net Width [mm]:**
   800
3. **Net Depth [mm]:**
   700
4. **Net Height [mm]:**
   330
5. **Net Weight [kg]:**
   66.00
6. **Gross Width [mm]:**
   840
7. **Gross depth [mm]:**
   800
8. **Gross Height [mm]:**
   390
9. **Gross Weight [kg]:**
   78.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Table top
12. **Power electric [kW]:**
    9.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX4
15. **Material:**
    AISI 304 top plate, AISI 430 cladding
16. **Indicators:**
    operation and warm-up
17. **Worktop material:**
    Sandblasted steel
18. **Worktop Thickness [mm]:**
    1.20
19. **Surface finish:**
    sandblasted surface without coating
20. **Maximum device temperature [°C]:**
    300
21. **Minimum device temperature [°C]:**
    50
22. **Service accessibility:**
    Trough the frontal panel
23. **Safety thermostat:**
    Yes
24. **Adjustable feet:**
    Yes
25. **Griddle dimensions [mm x mm]:**
    800 x 510
26. **Griddle thickness [mm]:**
    12.00
27. **Container for liquid fat:**
    Yes
28. **Independent heating zones:**
    Separate control for each heating zone

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Fry-top griddle plate 80x51 electric smooth without cabinet 400 V / 3N		
Model	**SAP Code**	00110058
FTH 70/08 E	**A group of articles - web**	Grills and grill plates

29. Removable rim:
Yes

30. Top type:
Smooth

31. Cross-section of conductors CU [mm²]:
2

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062