Technical data sheet

Product features

Fry-top griddle plate 65x48 electric smooth without cabinet 400 V / 3N		
Model	**SAP Code**	00001149
FTH 60 EL	**A group of articles - web**	Grills and grill plates



- Top type: Smooth
- Griddle dimensions [mm x mm]: 650 x 480
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: sandblasted surface without coating
- Removable rim: No


SAP Code	00001149	**Power electric [kW]**	6.000
Net Width [mm]	658	**Loading**	400 V / 3N - 50 Hz
Net Depth [mm]	609	**Griddle dimensions [mm x mm]**	650 x 480
Net Height [mm]	290	**Top type**	Smooth
Net Weight [kg]	45.00		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Fry-top griddle plate 65x48 electric smooth without cabinet 400 V / 3N		
Model	**SAP Code**	00001149
FTH 60 EL	**A group of articles - web**	Grills and grill plates



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Fry-top griddle plate 65x48 electric smooth without cabinet 400 V / 3N		
Model	**SAP Code**	00001149
FTH 60 EL	**A group of articles - web**	Grills and grill plates

1 **All-stainless design**

long life
resistance of AISI 304 stainless steel material
the material does not cut

- savings on service interventions
- easy cleaning and maintenance of equipment

2 **Degree of protection of the control elements IPX4**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3 **Outlet for waste liquids**

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

4 **High non-removable hem**

better hygienic conditions
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

5 **Smooth steel plate**

good heat transfer and the surface does not get scratched
enables preparation on smooth or grooved plates

- time-saving for food preparation
- no reheating and long cooking times

6 **Cooking unit for use on a table or on a base**

variable use
the possibility of placement in smaller spaces

- easy handling
- cost savings on substructure

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Fry-top griddle plate 65x48 electric smooth without cabinet 400 V / 3N		
Model	**SAP Code**	00001149
FTH 60 EL	**A group of articles - web**	Grills and grill plates

1. **SAP Code:**
   00001149
2. **Net Width [mm]:**
   658
3. **Net Depth [mm]:**
   609
4. **Net Height [mm]:**
   290
5. **Net Weight [kg]:**
   45.00
6. **Gross Width [mm]:**
   725
7. **Gross depth [mm]:**
   710
8. **Gross Height [mm]:**
   540
9. **Gross Weight [kg]:**
   50.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Table top
12. **Power electric [kW]:**
    6.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX4
15. **Material:**
    AISI 430
16. **Indicators:**
    operation and warm-up
17. **Surface finish:**
    sandblasted surface without coating
18. **Maximum device temperature [°C]:**
    300
19. **Minimum device temperature [°C]:**
    50
20. **Adjustable feet:**
    Yes
21. **Griddle dimensions [mm x mm]:**
    650 x 480
22. **Griddle thickness [mm]:**
    10.00
23. **Container for liquid fat:**
    Yes
24. **Independent heating zones:**
    Separate control for each heating zone
25. **Removable rim:**
    No
26. **Uniform heating:**
    Yes
27. **Top type:**
    Smooth
28. **Cross-section of conductors CU [mm²]:**
    1

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062