Technical data sheet

Product features

Fry-top griddle plate 32x48 gas grooved counter top 400 V / 3N		
Model	**SAP Code**	00001090
FTR 30 G	**A group of articles - web**	Grills and grill plates



- Top type: Grooved
- Griddle dimensions [mm x mm]: 320 x 480
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Maximum device temperature [°C]: 300
- Surface finish: sandblasted surface without coating
- Removable rim: No
- Ignition: Piezo


SAP Code	00001090	**Loading**	400 V / 3N - 50 Hz
Net Width [mm]	328	**Power gas [kW]**	4.000
Net Depth [mm]	0	**Type of gas**	Propane bu-tane, natural gas
Net Height [mm]	285	**Griddle dimensions [mm x mm]**	320 x 480
Net Weight [kg]	23.00	**Top type**	Grooved

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Fry-top griddle plate 32x48 gas grooved counter top 400 V / 3N		
Model	**SAP Code**	00001090
FTR 30 G	**A group of articles - web**	Grills and grill plates



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Fry-top griddle plate 32x48 gas grooved counter top 400 V / 3N		
Model	**SAP Code**	00001090
FTR 30 G	**A group of articles - web**	Grills and grill plates

1 **Safety element – thermocouple**

safe service for staff
there is no unnecessary gas leakage
long life

- savings on service interventions
- easier and faster operation

2 **Degree of protection of the control elements IPX4**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3 **Outlet for waste liquids**

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

4 **High non-removable hem**

better hygienic conditions
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

5 **Sandblasted steel plate**

good heat transfer
uniform heating

- time-saving for food preparation
- no reheating and long cooking times

6 **Cooking unit for use on a table or on a base**

variable use
the possibility of placement in smaller spaces

- easy handling
- cost savings on substructure

7 **All stainless steel design**

long life
resistance of AISI 304 stainless steel material
the material does not cut

- savings on service interventions
- easy cleaning and maintenance of equipment

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Fry-top griddle plate 32x48 gas grooved counter top 400 V / 3N		
Model	**SAP Code**	00001090
FTR 30 G	**A group of articles - web**	Grills and grill plates

1. **SAP Code:**
   00001090
2. **Net Width [mm]:**
   328
3. **Net Depth [mm]:**
   0
4. **Net Height [mm]:**
   285
5. **Net Weight [kg]:**
   23.00
6. **Gross Width [mm]:**
   670
7. **Gross depth [mm]:**
   395
8. **Gross Height [mm]:**
   362
9. **Gross Weight [kg]:**
   24.50
10. **Device type:**
    Gas unit
11. **Construction type of device:**
    Table top
12. **Loading:**
    400 V / 3N - 50 Hz
13. **Power gas [kW]:**
    4.000
14. **Ignition:**
    Piezo
15. **Type of gas:**
    Propane butane, natural gas
16. **Protection of controls:**
    IPX4
17. **Material:**
    AISI 430
18. **Surface finish:**
    sandblasted surface without coating
19. **Maximum device temperature [°C]:**
    300
20. **Minimum device temperature [°C]:**
    50
21. **Adjustable feet:**
    Yes
22. **Griddle dimensions [mm x mm]:**
    320 x 480
23. **Griddle thickness [mm]:**
    10.00
24. **Container for liquid fat:**
    Yes
25. **Removable rim:**
    No
26. **Uniform heating:**
    Yes
27. **Top type:**
    Grooved
28. **Connection to a ball valve:**
    1/2

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062