Technical data sheet

Product features

Food display island chilled GN 4-1/1 RAL 230 V / 1N		
Model	**SAP Code**	00012101
ES BLUE+ 4R	**A group of articles - web**	Sideboards and showcases



- Buffet type: BLUE - cooled, dynamic cooling
- Device properties: Chilled
- Number of GN / EN: 4
- GN / EN size in device: GN 1/1
- GN device depth: 150
- Minimum device temperature [°C]: 4
- Maximum device temperature [°C]: 8


SAP Code	00012101	**Loading**	230 V / 1N - 50 Hz
Net Width [mm]	1494	**Number of GN / EN**	4
Net Depth [mm]	760	**GN / EN size in device**	GN 1/1
Net Height [mm]	1288	**GN device depth**	150
Net Weight [kg]	157.70	**Minimum device temperature [°C]**	4
Power electric [kW]	0.494	**Maximum device temperature [°C]**	8

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Food display island chilled GN 4-1/1 RAL 230 V / 1N		
Model	**SAP Code**	00012101
ES BLUE+ 4R	**A group of articles - web**	Sideboards and showcases



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Food display island chilled GN 4-1/1 RAL 230 V / 1N		
Model	**SAP Code**	00012101
ES BLUE+ 4R	**A group of articles - web**	Sideboards and showcases

1 **Dynamic cooling**

constant temperature in all places of the refrigerated space

- greater hygienic safety of chilled food

2 **All-stainless steel construction**

harmless to health for contact with food
robustness

- perfect sanitation
- long service life

3 **Rounded corners**

basins without sharp edges and corners

- higher hygienic safety
- time saving due to easy cleaning

4 **GN insertion up to 150mm**

variability of use

- possibility of cooling different types of food and larger volumes
- saving time, space, costs

5 **LED lighting**

variability of use

- economical lighting
- attractive appearance

6 **Travel wheels**

portable buffet table

- greater flexibility in dispensing
- possibility of use at banquets
- easier and safer handling

7 **Breathing galley with trigger**

galerka made of hygienic Plexiglas with motorized displacement

- hygienic food protection
- the possibility of sealing before dispensing - extending the shelf life of food

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Food display island chilled GN 4-1/1 RAL 230 V / 1N		
Model	**SAP Code**	00012101
ES BLUE+ 4R	**A group of articles - web**	Sideboards and showcases

1. **SAP Code:**
   00012101
2. **Net Width [mm]:**
   1494
3. **Net Depth [mm]:**
   760
4. **Net Height [mm]:**
   1288
5. **Net Weight [kg]:**
   157.70
6. **Gross Width [mm]:**
   1558
7. **Gross depth [mm]:**
   1012
8. **Gross Height [mm]:**
   1100
9. **Gross Weight [kg]:**
   163.00
10. **Device type:**
    Electric unit
11. **Material:**
    Stainless steel
12. **Buffet type:**
    BLUE - cooled, dynamic cooling
13. **Device properties:**
    Chilled
14. **Exterior color of the device:**
    Hemlock
15. **Power electric [kW]:**
    0.494
16. **Loading:**
    230 V / 1N - 50 Hz
17. **Number of GN / EN:**
    4
18. **GN / EN size in device:**
    GN 1/1
19. **GN device depth:**
    150
20. **Minimum device temperature [°C]:**
    4
21. **Maximum device temperature [°C]:**
    8
22. **Interior lighting:**
    No
23. **Cross-section of conductors CU [mm²]:**
    0,5
24. **Refrigerant:**
    R290

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062