

### Product features

Slicer, blade 275 mm jagged		
Model	SAP Code	00020264
GSP 275 Z	A group of articles - web	Cutting machines



- Blade type: Serrated

- Blade diameter [mm]: 275

- Cutting thickness [mm]: 1-14

- Transfer type: Strappy

– Material: Aluminium

- Safety cover: transparent plexiglass

- Safety element: Two buttons on off switch.

safety cover

- Table position: Oblique

- On/Off button: Yes

SAP Code	00020264	Power electric [kW]	0.180
Net Width [mm]	410	Loading	230 V / 1N - 50 Hz
Net Depth [mm]	530	Blade type	Serrated
Net Height [mm]	420	Blade diameter [mm]	275
Net Weight [kg]	14.20	Cutting thickness [mm]	1-14



### Technical drawing

Slicer, blade 275 mm jagged		
Model	SAP Code	00020264
GSP 275 Z	A group of articles - web	Cutting machines



#### **Product benefits**

Slicer, blade 275 mm jagged		
Model	SAP Code	00020264
GSP 275 Z	A group of articles - web	Cutting machines

The slicer is built with polished cast aluminum.

strength, high corrosion resistance, thermal conductivity  $% \left( \frac{1}{2}\right) =\frac{1}{2}\left( \frac{1}{2}\right) \left( \frac{1}{2}\right)$ 

longer service life of the cutting machine

Very sturdy and easy to use and clean with little maintenance.

easy to use and clean

- time savings

Excellent for cutting meats, vegetables and cheeses.

variability of use for different foods

- cost savings

The blade is made in non sticking steel with special grooves.

the food does not stick, the flow of work

- time saving, uncomplicated work

Fixed sharpening with bowl to maintain stones clean from food residues.

the possibility of sharpening the knife without adding a sharpener

- saving time, manpower, costs

Sliding carriage on teflon bushings with an heavy duty food holder with removable nails for easy cleaning.

fluidity of work, easy cleaning

- saving human labor, time

Removing carriage with block sail according to security rules.

the food cart can be removed

- higher safety, easy cleaning

Strong fan silenced professional motor.

lower noise

health protection

Two buttons on off switch.

safety feature

- health protection, safety

The slicer was designed and manufactured according to international standards for safety, hygiene and food contact.

meets strict safety and hygiene standards

- higher safety, hygiene

Slicing thickness 0-14 mm.

variability of the thickness of the sliced product  $% \left( x\right) =\left( x\right) +\left( x\right)$ 

- cost savings

According to the CE rules professional use.

use in highly specialized and professional operations

- professional product - prestige



### Technical parameters

Slicer, blade 275 mm jagged		
Model	SAP Code	00020264
GSP 275 Z	A group of articles - web	Cutting machines
<b>1. SAP Code:</b> 00020264		<b>14. Loading:</b> 230 V / 1N - 50 Hz
2. Net Width [mm]: 410		15. Control type: Electric
<b>3. Net Depth [mm]:</b> 530		16. Safety cover: transparent plexiglass
4. Net Height [mm]: 420		17. Safety element: Two buttons on off switch.
		safety cover
<b>5. Net Weight [kg]:</b> 14.20		<b>18. Main switch:</b> Yes
<b>6. Gross Width [mm]:</b> 500		19. Transfer type: Strappy
<b>7. Gross depth [mm]:</b> 400		20. Standard equipment for device: whetstone
8. Gross Height [mm]: 580		<b>21. Additional information:</b> Noise N. 62 DB
9. Gross Weight [kg]: 17.30		22. Blade type: Serrated
10. Device type: Electric unit		23. Blade diameter [mm]: 275
11. Material: Aluminium		<b>24. On/Off button:</b> Yes
<b>12. Exterior color of the device:</b> Grey		<b>25. Removable moving table:</b> Yes
13. Power electric [kW]: 0.180		<b>26. Anti-adhesive blade treatment:</b> Yes



### Technical parameters

Slicer, blade 275 mm jagged		
Model	SAP Code	00020264
GSP 275 Z	A group of articles - web	Cutting machines

<b>27. Table position:</b> Oblique	<b>30. Cutting thickness [mm]:</b> 1-14	
28. Blade cover material:  Plastic	31. Cross-section of conductors CU [mm²]: 0,5	

29. Sharpening device:

Integrated