Technical data sheet

Product features

Multi-function fixed bratt pan electric TOP 230 V / 1N		
Model	**SAP Code**	00006347
FT 30 MD	**A group of articles - web**	Pans



- Bottom thickness: 10.00
- Basin volume [l]: 6
- Usable volume [l]: 6
- Protection of controls: IPX4


SAP Code	00006347	**Loading**	230 V / 1N - 50 Hz
Net Width [mm]	538	**Basin volume [l]**	6
Net Depth [mm]	328	**Usable volume [l]**	6
Net Height [mm]	292	**Width of internal part [mm]**	530
Net Weight [kg]	26.00	**Depth of internal part [mm]**	320
Power electric [kW]	3.000	**Height of internal part [mm]**	600


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Multi-function fixed bratt pan electric TOP 230 V / 1N		
Model	**SAP Code**	00006347
FT 30 MD	**A group of articles - web**	Pans





RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Multi-function fixed bratt pan electric TOP 230 V / 1N		
Model	**SAP Code**	00006347
FT 30 MD	**A group of articles - web**	Pans

1

All-stainless design of the cladding except for the hotplate

long life
resistance of a 10mm thick ground steel plate delete
check heating operation delete easier cleaning

- savings on service interventions
- easier and faster operation

2

Degree of protection of the control elements IPX4

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easier and faster operation

3

The outlet on the front side is removable

the possibility of draining the oil into the prepared container and a Teflon pin in the container

- easy and safe handling better ergonomics and working conditions for the operator better use of space removability

4

Iron plate

long life
resistance of a ground steel plate with a thickness of 10 mm

- faster warm-up
- toasts better than stainless steel
- food does not stick to it

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Multi-function fixed bratt pan electric TOP 230 V / 1N		
Model	**SAP Code**	00006347
FT 30 MD	**A group of articles - web**	Pans

1. **SAP Code:**
   00006347
2. **Net Width [mm]:**
   538
3. **Net Depth [mm]:**
   328
4. **Net Height [mm]:**
   292
5. **Net Weight [kg]:**
   26.00
6. **Gross Width [mm]:**
   670
7. **Gross depth [mm]:**
   395
8. **Gross Height [mm]:**
   362
9. **Gross Weight [kg]:**
   28.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Table top
12. **Power electric [kW]:**
    3.000
13. **Loading:**
    230 V / 1N - 50 Hz
14. **Protection of controls:**
    IPX4
15. **Material:**
    AISI 430
16. **Indicators:**
    operation and warm-up
17. **Standard equipment for device:**
    teflon pin with overflow
18. **Basin volume [l]:**
    6
19. **Maximum device temperature [°C]:**
    300
20. **Minimum device temperature [°C]:**
    50
21. **Adjustable feet:**
    Yes
22. **Bottom thickness:**
    10.00
23. **Usable volume [l]:**
    6
24. **Type of drain valve:**
    with safety lock
25. **Drain:**
    Yes
26. **Width of internal part [mm]:**
    530
27. **Depth of internal part [mm]:**
    320
28. **Height of internal part [mm]:**
    600

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Multi-function fixed bratt pan electric TOP 230 V / 1N		
Model	**SAP Code**	00006347
FT 30 MD	**A group of articles - web**	Pans

29. Cross-section of conductors CU [mm²]:

0,75

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062