

#### **Product features**

| Slicer, blade 275 mm plain |                           |                  |
|----------------------------|---------------------------|------------------|
| Model                      | SAP Code                  | 00013370         |
| GSE 275                    | A group of articles - web | Cutting machines |



- Blade type: Smooth
- Blade diameter [mm]: 275
- Cutting thickness [mm]: 0 14
- Useful Cut [mm]: 210 x 170
- Transfer type: Strappy
- Material: Aluminium
- Safety cover: transparent plexiglass
- Safety element: transparent finger protection stainless steel knife guard ring stainless steel blade guard
- Table position: Oblique
- On/Off button: Yes
- Continous work limit: 10 min running, 5 min rest

| SAP Code            | 00013370 | Loading                | 230 V / 1N - 50 Hz |
|---------------------|----------|------------------------|--------------------|
| Net Width [mm]      | 520      | Blade type             | Smooth             |
| Net Depth [mm]      | 420      | Blade diameter [mm]    | 275                |
| Net Height [mm]     | 380      | Cutting thickness [mm] | 0 - 14             |
| Net Weight [kg]     | 14.50    | Useful Cut [mm]        | 210 x 170          |
| Power electric [kW] | 0.180    |                        |                    |



Technical drawing

| Slicer, blade 275 mm plain |                           |                  |
|----------------------------|---------------------------|------------------|
| Model                      | SAP Code                  | 00013370         |
| GSE 275                    | A group of articles - web | Cutting machines |



#### **Product benefits**

| Slicer, blade 275 mm plain |                           |                  |
|----------------------------|---------------------------|------------------|
| Model                      | SAP Code                  | 00013370         |
| GSE 275                    | A group of articles - web | Cutting machines |

Aluminum alloy body robustness

purity

- long service life
- very easy to clean
- Anti-stick treatment of the knife

less adhesion of the sliced food to the knife

- thanks to the blade design, even softer foods can be cut, saving costs and time
- Pressure lever mechanism

vysoká bezpečnost provozu

- thanks to the finger cover, the risk of accidents is minimised
- **Belt transmission**

excellent price/performance ratio

- thanks to a simpler transfer method, you save the initial costs of purchasing the machine
- All-stainless design of parts that are in the contract with foodstuffs

used stainless steel intended for contact with food good maintenance zero contamination resists even weaker acids

- no restrictions in food preparation
- long life and high durability
- Knife diameter 275mm

large blade diameter

 thanks to the large diameter of the knife it is possible to process large pieces of food, especially prosciutto, mortadella



### Technical parameters

| Slicer, blade 275 mm plain               |                           |   |
|--|---------------------------|---|
| Model                                    | SAP Code                  | 00013370  |
| GSE 275                                  | A group of articles - web | Cutting machines  |
| <b>1. SAP Code:</b> 00013370             |                           | <b>13. Loading:</b> 230 V / 1N - 50 Hz  |
| <b>2. Net Width [mm]:</b> 520            |                           | 14. Control type:  Mechanical   |
| <b>3. Net Depth [mm]:</b> 420            |                           | 15. Safety cover: transparent plexiglass  |
| 4. Net Height [mm]: 380                  |                           | 16. Safety element:  transparent finger protection stainless steel knife guard ring stainless steel blade guard   |
| <b>5. Net Weight [kg]:</b> 14.50         |                           | <b>17. Engine protection:</b> fan and overheating protection  |
| <b>6. Gross Width [mm]:</b> 500          |                           | <b>18. Adjustable feet:</b> Yes   |
| 7. Gross depth [mm]: 540                 |                           | <b>19. Main switch:</b> Yes   |
| 8. Gross Height [mm]:<br>580             |                           | 20. Transfer type: Strappy  |
| 9. Gross Weight [kg]:<br>17.60           |                           | 21. Standard equipment for device: grinding wheel fixed to the device   |
| <b>10. Device type:</b><br>Electric unit |                           | 22. Additional information:  knife is mounted obliquely, via double ball bearing the blade is made of non-stick steel with adhesive grooves massive food holder non-stick blade |
| <b>11. Material:</b> Aluminium           |                           | 23. Blade type:<br>Smooth   |
| 12. Power electric [kW]:                 |                           | 24. Blade diameter [mm]:  |

0.180

275



### Technical parameters

| Slicer, blade 275 mm plain                                  |                           |  |
|---|---------------------------|--|
| Model   | SAP Code                  | 00013370   |
| GSE 275   | A group of articles - web | Cutting machines                                       |
| <b>25. Useful Cut [mm]:</b> 210 × 170                       |                           | <b>30. Table position:</b> Oblique                     |
| 26. On/Off button: Yes                                      |                           | <b>31. Blade cover material:</b> Stainless steel       |
| <b>27. Continous work limit:</b> 10 min running, 5 min rest |                           | 32. Sharpening device: Integrated                      |
| 28. Removable moving table: Yes                             |                           | 33. Cutting thickness [mm]: 0 - 14                     |
| 29. Anti-adhesive blade treatment:                          |                           | 34. Cross-section of conductors CU [mm <sup>2</sup> ]: |

0,5

Yes