

# Technical data sheet



## Product features

### Slicer, blade 300 mm jagged

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00020274         |
| GSP 300XL Z  | <b>A group of articles - web</b> | Cutting machines |



- Blade type: Serrated
- Blade diameter [mm]: 300
- Cutting thickness [mm]: 1-14
- Transfer type: Strappy
- Material: Aluminium
- Safety cover: transparent plexiglass
- Safety element: Two buttons on off switch.

#### safety cover

- Table position: Oblique
- On/Off button: Yes

|                        |          |                               |                    |
|------------------------|----------|-------------------------------|--------------------|
| <b>SAP Code</b>        | 00020274 | <b>Power electric [kW]</b>    | 0.220              |
| <b>Net Width [mm]</b>  | 470      | <b>Loading</b>                | 230 V / 1N - 50 Hz |
| <b>Net Depth [mm]</b>  | 570      | <b>Blade type</b>             | Serrated           |
| <b>Net Height [mm]</b> | 470      | <b>Blade diameter [mm]</b>    | 300                |
| <b>Net Weight [kg]</b> | 23.00    | <b>Cutting thickness [mm]</b> | 1-14               |

# Technical data sheet

Technical drawing



|                             |                           |                  |
|-----------------------------|---------------------------|------------------|
| Slicer, blade 300 mm jagged |                           |                  |
| Model                       | SAP Code                  | 00020274         |
| GSP 300XL Z                 | A group of articles - web | Cutting machines |

# Technical data sheet



## Product benefits

### Slicer, blade 300 mm jagged

|             |                           |                  |
|-------------|---------------------------|------------------|
| Model       | SAP Code                  | 00020274         |
| GSP 300XL Z | A group of articles - web | Cutting machines |

1

**The slicer is built with polished cast aluminum.**  
strength, high corrosion resistance, thermal conductivity  
– longer service life of the cutting machine

2

**Very sturdy and easy to use and clean with little maintenance.**  
easy to use and clean  
– time savings

3

**Excellent for cutting meats, vegetables and cheeses.**  
variability of use for different foods  
– cost savings

4

**The blade is made in non sticking steel with special grooves.**  
the food does not stick, the flow of work  
– time saving, uncomplicated work

5

**Fixed sharpening with bowl to maintain stones clean from food residues.**  
the possibility of sharpening the knife without adding a sharpener  
– saving time, manpower, costs

6

**Sliding carriage on teflon bushings with an heavy duty food holder with removable nails for easy cleaning.**  
fluidity of work, easy cleaning  
– saving human labor, time

7

**Removing carriage with block sail according to security rules.**  
the food cart can be removed  
– higher safety, easy cleaning

8

**Strong fan silenced professional motor.**  
lower noise  
– health protection

9

**Two buttons on off switch.**  
safety feature  
– health protection, safety

10

**The slicer was designed and manufactured according to international standards for safety, hygiene and food contact.**  
meets strict safety and hygiene standards  
– higher safety, hygiene

11

**Slicing thickness 0-14 mm.**  
variability of the thickness of the sliced product  
– cost savings

12

**According to the CE rules professional use.**  
use in highly specialized and professional operations  
– professional product - prestige

# Technical data sheet

## Technical parameters



### Slicer, blade 300 mm jagged

|              |                                  |                  |
|--------------|----------------------------------|------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00020274         |
| GSP 300XL Z  | <b>A group of articles - web</b> | Cutting machines |

**1. SAP Code:**

00020274

**2. Net Width [mm]:**

470

**3. Net Depth [mm]:**

570

**4. Net Height [mm]:**

470

**5. Net Weight [kg]:**

23.00

**6. Gross Width [mm]:**

520

**7. Gross depth [mm]:**

660

**8. Gross Height [mm]:**

500

**9. Gross Weight [kg]:**

26.00

**10. Device type:**

Electric unit

**11. Material:**

Aluminium

**12. Exterior color of the device:**

Grey

**13. Power electric [kW]:**

0.220

**14. Loading:**

230 V / 1N - 50 Hz

**15. Control type:**

Electric

**16. Safety cover:**

transparent plexiglass

**17. Safety element:**

Two buttons on off switch.

safety cover

**18. Engine protection:**

ventilator

**19. Main switch:**

Yes

**20. Transfer type:**

Strappy

**21. Standard equipment for device:**

whetstone

**22. Additional information:**

Noise N. 62 DB

**23. Blade type:**

Serrated

**24. Blade diameter [mm]:**

300

**25. On/Off button:**

Yes

**26. Removable moving table:**

Yes

# Technical data sheet

Technical parameters



Slicer, blade 300 mm jagged

|             |                           |                  |
|-------------|---------------------------|------------------|
| Model       | SAP Code                  | 00020274         |
| GSP 300XL Z | A group of articles - web | Cutting machines |

**27. Anti-adhesive blade treatment:**

Yes

**30. Sharpening device:**

Integrated

**28. Table position:**

Oblique

**31. Cutting thickness [mm]:**

1-14

**29. Blade cover material:**

Plastic

**32. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,5