

Technical data sheet



Product features

Fry-top griddle plate 32x48 gas grooved counter top

Model	SAP Code	00001090
FTR 30 G	A group of articles - web	Grills and grill plates



- Top type: Grooved
- Griddle dimensions [mm x mm]: 320 x 480
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Maximum device temperature [°C]: 300
- Surface finish: sandblasted surface without coating
- Removable rim: No
- Ignition: Piezo

SAP Code	00001090	Loading	400 V / 3N - 50 Hz
Net Width [mm]	328	Power gas [kW]	4.000
Net Depth [mm]	0	Type of gas	Propane butane, natural gas
Net Height [mm]	285	Griddle dimensions [mm x mm]	320 x 480
Net Weight [kg]	23.00	Top type	Grooved

Technical data sheet

Technical drawing



Fry-top griddle plate 32x48 gas grooved counter top

Model	SAP Code	00001090
FTR 30 G	A group of articles - web	Grills and grill plates



Technical data sheet



Product benefits

Fry-top griddle plate 32x48 gas grooved counter top

Model	SAP Code	00001090
FTR 30 G	A group of articles - web	Grills and grill plates

1

Safety element – thermocouple

safe service for staff
there is no unnecessary gas leakage
long life

- savings on service interventions
- easier and faster operation

7

All stainless steel design

long life
resistance of AISI 304 stainless steel material
the material does not cut

- savings on service interventions
- easy cleaning and maintenance of equipment

2

Degree of protection of the control elements IPX4

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

Outlet for waste liquids

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

4

High non-removable hem

better hygienic conditions
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

5

Sandblasted steel plate

good heat transfer
uniform heating

- time-saving for food preparation
- no reheating and long cooking times

6

Cooking unit for use on a table or on a base

variable use
the possibility of placement in smaller spaces

- easy handling
- cost savings on substructure

Technical data sheet

Technical parameters



Fry-top griddle plate 32x48 gas grooved counter top

Model	SAP Code	00001090
FTR 30 G	A group of articles - web	Grills and grill plates

1. SAP Code:

00001090

2. Net Width [mm]:

328

3. Net Depth [mm]:

0

4. Net Height [mm]:

285

5. Net Weight [kg]:

23.00

6. Gross Width [mm]:

670

7. Gross depth [mm]:

395

8. Gross Height [mm]:

362

9. Gross Weight [kg]:

24.50

10. Device type:

Gas unit

11. Construction type of device:

Table top

12. Loading:

400 V / 3N - 50 Hz

13. Power gas [kW]:

4.000

14. Ignition:

Piezo

15. Type of gas:

Propane butane, natural gas

16. Protection of controls:

IPX4

17. Material:

AISI 430

18. Surface finish:

sandblasted surface without coating

19. Maximum device temperature [°C]:

300

20. Minimum device temperature [°C]:

50

21. Adjustable feet:

Yes

22. Griddle dimensions [mm x mm]:

320 x 480

23. Griddle thickness [mm]:

10.00

24. Container for liquid fat:

Yes

25. Removable rim:

No

26. Uniform heating:

Yes

27. Top type:

Grooved

28. Connection to a ball valve:

1/2