

Technical data sheet

Product features



Pizza oven 1 chamber

Model	SAP Code	00006144
E 4	A group of articles - web	Pizza ovens



- Pizza capacity [cm]: 4x 33 cm
- Stoneplates: Lower
- Stone plates thickness [mm]: 14
- Material: Stainless steel
- Control type: Mechanical
- Type of handle: in the entire length of the door, stainless steel
- Steam protection: Yes
- Independent heating zones: Separate control for each chamber
- Type of construction: single storey
- Chimney for moisture extraction: Yes
- Adjustable chimney: Yes
- Interior lighting: Yes

SAP Code	00006144	Minimum device temperature [°C]	50
Net Width [mm]	980	Maximum device temperature [°C]	450
Net Depth [mm]	908	Width of internal part [mm]	700
Net Height [mm]	412	Depth of internal part [mm]	700
Net Weight [kg]	78.00	Height of internal part [mm]	150
Power electric [kW]	4.800	Pizza capacity [cm]	4x 33 cm
Loading	400 V / 3N - 50 Hz		


Technical data sheet

Technical drawing



Pizza oven 1 chamber

Model	SAP Code	00006144
E 4	A group of articles - web	Pizza ovens



Technical data sheet



Product benefits

Pizza oven 1 chamber

Model	SAP Code	00006144
E 4	A group of articles - web	Pizza ovens

1

Manual controls - Set values using rotary knobs

clear and simple user-friendly temperature settings

- quick and easy for the user to operate, no training required for operationlong service life

2

Chamber heating in the temperature range of 50 to 450°C

the temperature range enables the preparation of various types of dough and meat; can also be used for baking

- we have a crispy pizza in a short time - I can make a pizza according to the dough, the customer does not wait long and the operator serves multiple customers - multiple turns in one oven

3

Fireclay plate 14mm placed below with heaters under the plate

proper accumulation and uniformity of heat distribution

- no scorching and the pizza is evenly cooked and does not burn, no temperature fluctuation, no need for the cook to check and adjust the baking, lower demands on the knowledge and skills of the pizza maker

4

Glass set in the door

checking the product during heat treatment without having to open the door

- I don't lose temperature when baking by unnecessarily opening the door without glass, saving energy

5

2x thermostat, separate control of upper and lower heaters

more precise regulation of heat in the chamber, according to the type of dough or food

- better final quality of the product; no burning, variability - suitable for different treatments, better comfort for the experienced cook, suitable for professionals

6

Analog thermometer measuring the temperature in the chamber

certainty of the set temperature, I will check whether it is set correctly and that the device works correctly for me

- I am aware of and can react to deviations from the required temperatures

Technical data sheet

Technical parameters



Pizza oven 1 chamber

Model	SAP Code	00006144
E 4	A group of articles - web	Pizza ovens

1. SAP Code:

00006144

2. Net Width [mm]:

980

3. Net Depth [mm]:

908

4. Net Height [mm]:

412

5. Net Weight [kg]:

78.00

6. Gross Width [mm]:

1030

7. Gross depth [mm]:

930

8. Gross Height [mm]:

440

9. Gross Weight [kg]:

90.00

10. Exterior color of the device:

Black

11. Material:

Stainless steel

12. Device type:

Electric unit

13. Power electric [kW]:

4.800

14. Loading:

400 V / 3N - 50 Hz

15. Control type:

Mechanical

16. Width of internal part [mm]:

700

17. Depth of internal part [mm]:

700

18. Height of internal part [mm]:

150

19. Minimum device temperature [°C]:

50

20. Maximum device temperature [°C]:

450

21. Stacking availability:

Yes

22. Pizza capacity [cm]:

4x 33 cm

23. Thermometer:

Analog

24. Indicators:

operation

25. Number of internal parts:

4

26. On/Off button:

Yes

27. Type of handle:

in the entire length of the door, stainless steel

28. Steam protection:

Yes

Technical data sheet

Technical parameters



Pizza oven 1 chamber

Model	SAP Code	00006144
E 4	A group of articles - web	Pizza ovens

29. Protection of controls:

IPX4

30. Stoneplates:

Lower

31. Stone plates thickness [mm]:

14

32. Independent heating zones:

Separate control for each chamber

33. Type of construction:

single storey

34. Interior lighting:

Yes

35. Safety element:

safety thermostat

36. Number of cavities:

1

37. Chimney for moisture extraction:

Yes

38. Adjustable chimney:

Yes

39. Cross-section of conductors CU [mm²]:

1