Technical data sheet

Product features

Pasta cooker electric 33 + 33 l with cabinet 400 V / 3N		
Model	**SAP Code**	00012313
VT 90/80 E	**A group of articles - web**	Pasta cookers and Bain Marine



- Basin volume [l]: 33
- Water inlet: mechanical tap
- Drain type: Through the substructure with connection to waste
- Drain: Yes
- Material: AISI 304 top plate, AISI 430 cladding
- Protection of controls: IPX4
- Maximum device temperature [°C]: 110


SAP Code	00012313	**Loading**	400 V / 3N - 50 Hz
Net Width [mm]	800	**Basin volume [l]**	33
Net Depth [mm]	900	**Width of internal part [mm]**	307
Net Height [mm]	900	**Depth of internal part [mm]**	507
Net Weight [kg]	89.00	**Height of internal part [mm]**	305
Power electric [kW]	24.000		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Pasta cooker electric 33 + 33 l with cabinet 400 V / 3N		
Model	**SAP Code**	00012313
VT 90/80 E	**A group of articles - web**	Pasta cookers and Bain Marine



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Pasta cooker electric 33 + 33 l with cabinet 400 V / 3N		
Model	**SAP Code**	00012313
VT 90/80 E	**A group of articles - web**	Pasta cookers and Bain Marine

1 **All-stainless steel bathtub**

long life
resistance of AISI 304 stainless steel material
the material does not cut

- savings on service interventions
- easier and faster operation

2 **Degree of protection of the control elements IPX4**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3 **Micro switch**

microswitch preventing the device from running when there is no water in the bath

- prevents destruction of the equipment by overheating

4 **Rotating heating element**

longer lifetime
easy access

- effective cleaning when the body is tipped out
- easy access even to corners and time saving

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Pasta cooker electric 33 + 33 l with cabinet 400 V / 3N		
Model	**SAP Code**	00012313
VT 90/80 E	**A group of articles - web**	Pasta cookers and Bain Marine

1. **SAP Code:**
   00012313
2. **Net Width [mm]:**
   800
3. **Net Depth [mm]:**
   900
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   89.00
6. **Gross Width [mm]:**
   840
7. **Gross depth [mm]:**
   970
8. **Gross Height [mm]:**
   1160
9. **Gross Weight [kg]:**
   101.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    With substructure
12. **Power electric [kW]:**
    24.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX4
15. **Material:**
    AISI 304 top plate, AISI 430 cladding
16. **Indicators:**
    operation and warm-up
17. **Worktop type:**
    Molded - comfortable cleaning maintenance
18. **Worktop material:**
    AISI 304
19. **Worktop Thickness [mm]:**
    1.50
20. **Basin volume [l]:**
    33
21. **Basin dimensions [mm x mm x mm]:**
    307x507x305
22. **Maximum device temperature [°C]:**
    110
23. **Minimum device temperature [°C]:**
    30
24. **Service accessibility:**
    Trough the frontal panel
25. **Adjustable feet:**
    Yes
26. **Additional information:**
    Baskets are not part of the delivery - can be purchased additionally
27. **Heating element material:**
    Incoloy
28. **False bottom:**
    Yes

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Pasta cooker electric 33 + 33 l with cabinet 400 V / 3N		
Model	**SAP Code**	00012313
VT 90/80 E	**A group of articles - web**	Pasta cookers and Bain Marine

29. Number of basins:
2

30. Basin material:
AISI 316 - Stainless steel highly resistant to salt water

31. Water inlet:
mechanical tap

32. Drain type:
Through the substructure with connection to waste

33. Drain:
Yes

34. Water supply connection:
3/4”

35. Drain connection:
Yes

36. Heating location:
Inside the tank

37. Width of internal part [mm]:
307

38. Depth of internal part [mm]:
507

39. Height of internal part [mm]:
305

40. Cross-section of conductors CU [mm²]:
10

41. Diameter nominal:
DN 50

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062