Technical data sheet

Product features

Toaster 6x holders 2x grid 230 V / 1N		
Model	**SAP Code**	00004296
TO 960 GH	**A group of articles - web**	Toasters



- Standard equipment for device: 6x tongs, 2x grid
- Timer: Yes
- Material: Stainless steel
- Indicators: operation and warm-up
- Removable rear wall of the device: Yes
- Container for liquid fat: Yes


SAP Code	00004296	**Net Weight [kg]**	11.00
Net Width [mm]	453	**Power electric [kW]**	3.000
Net Depth [mm]	274	**Loading**	230 V / 1N - 50 Hz
Net Height [mm]	403	**Standard equipment for device**	6x tongs, 2x grid


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062


Technical data sheet

Technical drawing

Toaster 6x holders 2x grid 230 V / 1N		
Model	**SAP Code**	00004296
TO 960 GH	**A group of articles - web**	Toasters







RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Toaster 6x holders 2x grid 230 V / 1N		
Model	**SAP Code**	00004296
TO 960 GH	**A group of articles - web**	Toasters

1 **All-stainless design**

only stainless steel intended for food contact is used

- absolutely rust-proof and non-magnetic design resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning

2 **Run and warm-up light**

optical possibility to check the status of the device

- the operator immediately knows what state the appliance is in on/off, heating/not heating

3 **Separate control for individual sections**

the possibility of a heating system separately

- greater variability of use

4 **Catch container for breadcrumbs**

breadcrumbs fall outside the furnace

- no crumbs falling off

5 **Removable back wall**

possibility to open the back wall of the device

- possible filling of the equipment by the operator

6 **Silicon heaters**

immediate onset of heat
intense radiant heat

- the device can be switched off even during the operating day
- toasted food vigorously and without overheating inside
- faster food preparation

7 **The tongs and grid are part of the standard equipment**

I can put the food on the grate or put it in tongs

- universally applicable equipment
- I can prepare different types of food using standard equipment

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Toaster 6x holders 2x grid 230 V / 1N		
Model	**SAP Code**	00004296
TO 960 GH	**A group of articles - web**	Toasters

1. **SAP Code:**
   00004296
2. **Net Width [mm]:**
   453
3. **Net Depth [mm]:**
   274
4. **Net Height [mm]:**
   403
5. **Net Weight [kg]:**
   11.00
6. **Gross Width [mm]:**
   355
7. **Gross depth [mm]:**
   500
8. **Gross Height [mm]:**
   440
9. **Gross Weight [kg]:**
   12.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Table top
12. **Material:**
    Stainless steel
13. **Power electric [kW]:**
    3.000
14. **Loading:**
    230 V / 1N - 50 Hz
15. **Standard equipment for device:**
    6x tongs, 2x grid
16. **Protection of controls:**
    IPX4
17. **Timer:**
    Yes
18. **Removable rear wall of the device:**
    Yes
19. **Container for liquid fat:**
    Yes
20. **Indicators:**
    operation and warm-up
21. **Cross-section of conductors CU [mm²]:**
    0,75

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062