Technical data sheet

Product features

Fry-top griddle plate 80x51 electric chromed grooved on open cabinet 400 V / 3N		
Model	**SAP Code**	00012425
FTRC 70/80 E	**A group of articles - web**	Grills and grill plates



- Top type: Grooved
- Griddle dimensions [mm x mm]: 800 x 510
- Griddle thickness [mm]: 12.00
- Worktop material: Chrome plated steel
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm
- Removable rim: Yes


SAP Code	00012425	**Power electric [kW]**	9.000
Net Width [mm]	800	**Loading**	400 V / 3N - 50 Hz
Net Depth [mm]	700	**Griddle dimensions [mm x mm]**	800 x 510
Net Height [mm]	900	**Top type**	Grooved
Net Weight [kg]	91.00		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Fry-top griddle plate 80x51 electric chromed grooved on open cabinet 400 V / 3N		
Model	**SAP Code**	00012425
FTRC 70/80 E	**A group of articles - web**	Grills and grill plates



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Fry-top griddle plate 80x51 electric chromed grooved on open cabinet 400 V / 3N		
Model	**SAP Code**	00012425
FTRC 70/80 E	**A group of articles - web**	Grills and grill plates

1 **All-stainless design**

long life
corrosion resistance of the top plate material

- savings on service interventions
- easier and faster operation

2 **Degree of protection of the control elements IPX4**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3 **Outlet for waste liquids**

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

4 **High detachable hem**

better hygienic conditions
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

5 **Grooved plate made of chrome-plated steel**

the product bakes less and is easier to clean
a good warming of the meat with a groove

- time-saving in food preparation
- easy preparation of good-looking food

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Fry-top griddle plate 80x51 electric chromed grooved on open cabinet 400 V / 3N		
Model	**SAP Code**	00012425
FTRC 70/80 E	**A group of articles - web**	Grills and grill plates

1. **SAP Code:**
   00012425
2. **Net Width [mm]:**
   800
3. **Net Depth [mm]:**
   700
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   91.00
6. **Gross Width [mm]:**
   840
7. **Gross depth [mm]:**
   800
8. **Gross Height [mm]:**
   975
9. **Gross Weight [kg]:**
   95.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Stationary
12. **Power electric [kW]:**
    9.000
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX4
15. **Material:**
    AISI 304 top plate, AISI 430 cladding
16. **Indicators:**
    operation and warm-up
17. **Worktop material:**
    Chrome plated steel
18. **Worktop Thickness [mm]:**
    1.20
19. **Surface finish:**
    polished chrome 0.03 mm
20. **Maximum device temperature [°C]:**
    300
21. **Minimum device temperature [°C]:**
    50
22. **Service accessibility:**
    Trough the frontal panel
23. **Safety thermostat:**
    Yes
24. **Adjustable feet:**
    Yes
25. **Griddle dimensions [mm x mm]:**
    800 x 510
26. **Griddle thickness [mm]:**
    12.00
27. **Container for liquid fat:**
    Yes
28. **Independent heating zones:**
    Separate control for each heating zone

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Fry-top griddle plate 80x51 electric chromed grooved on open cabinet 400 V / 3N		
Model	**SAP Code**	00012425
FTRC 70/80 E	**A group of articles - web**	Grills and grill plates

29. Removable rim:
Yes

30. Uniform heating:
Yes

31. Top type:
Grooved

32. Cross-section of conductors CU [mm²]:
2

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062