Technical data sheet

Product features

Cooking range solid top gas with static electric oven GN 2/1 - 5x burner 400 V / 3N		
Model	**SAP Code**	00018744
STPT 70/120 21 GE	**A group of articles - web**	Stoves



- Device type: Combined unit
- Power consumption of the zone 1 [kW]: 8,5
- Power consumption of the zone 2 [kW]: 4
- Power consumption of the zone 3 [kW]: 6,6
- Power consumption of the zone 4 [kW]: 8,5
- Power consumption of the zone 5 [kW]: 8,5
- Ignition: Piezo+večný plamen
- Protection of controls: IPX4


SAP Code	00018744	**Number of zones**	5
Net Width [mm]	1200	**Power consumption of the zone 1 [kW]**	8,5
Net Depth [mm]	700	**Power consumption of the zone 2 [kW]**	4
Net Height [mm]	900	**Power consumption of the zone 3 [kW]**	6,6
Net Weight [kg]	172.00	**Power consumption of the zone 4 [kW]**	8,5
Power electric [kW]	6.300	**Power consumption of the zone 5 [kW]**	8,5
Loading	400 V / 3N - 50 Hz	**Width of internal part [mm]**	657
Power gas [kW]	36.100	**Depth of internal part [mm]**	558
Type of gas	Natural gas, propane butane	**Height of internal part [mm]**	335

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Cooking range solid top gas with static electric oven GN 2/1 - 5x burner 400 V / 3N		
Model	**SAP Code**	00018744
STPT 70/120 21 GE	**A group of articles - web**	Stoves



RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range solid top gas with static electric oven GN 2/1 - 5x burner 400 V / 3N		
Model	**SAP Code**	00018744
STPT 70/120 21 GE	**A group of articles - web**	Stoves

1. **SAP Code:**
   00018744
2. **Net Width [mm]:**
   1200
3. **Net Depth [mm]:**
   700
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   172.00
6. **Gross Width [mm]:**
   1240
7. **Gross depth [mm]:**
   800
8. **Gross Height [mm]:**
   975
9. **Gross Weight [kg]:**
   172.00
10. **Device type:**
    Combined unit
11. **Construction type of device:**
    With substructure
12. **Power electric [kW]:**
    6.300
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Power gas [kW]:**
    36.100
15. **Ignition:**
    Piezo+večný plamen
16. **Type of gas:**
    Natural gas, propane butane
17. **Protection of controls:**
    IPX4
18. **Indicators:**
    operation and warm-up
19. **Worktop material:**
    AISI 304
20. **Worktop Thickness [mm]:**
    1.20
21. **Number of zones:**
    5
22. **Power consumption of the zone 1 [kW]:**
    8,5
23. **Power consumption of the zone 2 [kW]:**
    4
24. **Power consumption of the zone 3 [kW]:**
    6,6
25. **Power consumption of the zone 4 [kW]:**
    8,5
26. **Power consumption of the zone 5 [kW]:**
    8,5
27. **Number of power control stages:**
    6
28. **Safety thermocouple:**
    Yes

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range solid top gas with static electric oven GN 2/1 - 5x burner 400 V / 3N		
Model	**SAP Code**	00018744
STPT 70/120 21 GE	**A group of articles - web**	Stoves

29. Safety thermostat:
Yes

30. Safety thermostat up to x ° C:
360

31. Additional information:
The door is part of the product.

32. Number of burners/hot plates:
5

33. Type of gas cooking zones:
Fire protection to install + Classic burners

34. Burner type:
Brass, detachable

35. Oven Type:
electrical static

36. Oven size:
GN 2/1

37. Oven material:
Stainless steel

38. Width of internal part [mm]:
657

39. Depth of internal part [mm]:
558

40. Height of internal part [mm]:
335

41. Maximum temperature of the inner chamber [°C]:
300

42. Minimum temperature of the inner chamber [°C]:
50

43. Connection to a ball valve:
1/2

44. Cross-section of conductors CU [mm²]:
1

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062