

Technical data sheet

Product features



Pizza oven counter top 1 chamber

Model	SAP Code	00007249
FP 38 R	A group of articles - web	Pizza ovens



- Pizza capacity [cm]: 1x 35 cm
- Stoneplates: Lower
- Stone plates thickness [mm]: 14
- Material: Stainless steel
- Control type: Mechanical
- Type of handle: Short, plastic
- Steam protection: No
- Independent heating zones: Separate control for upper and lower heating elements
- Chimney for moisture extraction: No
- Adjustable chimney: No
- Interior lighting: Yes

SAP Code	00007249	Minimum device temperature [°C]	50
Net Width [mm]	577	Maximum device temperature [°C]	300
Net Depth [mm]	537	Width of internal part [mm]	410
Net Height [mm]	273	Depth of internal part [mm]	370
Net Weight [kg]	25.00	Height of internal part [mm]	90
Power electric [kW]	2.000	Pizza capacity [cm]	1x 35 cm
Loading	230 V / 1N - 50 Hz		


Technical data sheet

Technical drawing



Pizza oven counter top 1 chamber

Model	SAP Code	00007249
FP 38 R	A group of articles - web	Pizza ovens



Technical data sheet



Product benefits

Pizza oven counter top 1 chamber

Model	SAP Code	00007249
FP 38 R	A group of articles - web	Pizza ovens

1

Stainless steel outer shell construction

easy cleaning, high hygienic standard, long service life

- cost savings on the purchase of a new machine, time savings on cleaning and cleaning comfort

2

Manual controls

clear and simple user-friendly temperature settings

- quick and easy for the user to operate, no training required for operation long service life

3

The device is powered from a regular 230v network

the device can be connected anywhere, in case of sufficient securing

- no need for sufficient costs if I do not have a 400V supply

4

Heating the chamber in the temperature range of 50 to 300°C

heating the chamber in the temperature range of 30 to 300 °C

- simple small compact pizza oven at a good price. ideal for chilled / frozen pizza where we save time and costs

5

The fireclay plate is placed in the lower part with the heaters that are under the plate

proper accumulation and uniformity of heat distribution

- no scorching and the pizza is evenly cooked and does not burn, no temperature fluctuation, no need for the cook to check and adjust the baking, lower demands on the knowledge and skills of the pizza maker

6

Glass set in the door

construction material is high quality stainless steel ensuring long life high hygiene standard

- I don't lose temperature when baking by unnecessarily opening the door without glass, saving energy

Technical data sheet

Technical parameters



Pizza oven counter top 1 chamber

Model	SAP Code	00007249
FP 38 R	A group of articles - web	Pizza ovens

1. SAP Code:

00007249

2. Net Width [mm]:

577

3. Net Depth [mm]:

537

4. Net Height [mm]:

273

5. Net Weight [kg]:

25.00

6. Gross Width [mm]:

560

7. Gross depth [mm]:

605

8. Gross Height [mm]:

325

9. Gross Weight [kg]:

28.00

10. Material:

Stainless steel

11. Device type:

Electric unit

12. Power electric [kW]:

2.000

13. Loading:

230 V / 1N - 50 Hz

14. Control type:

Mechanical

15. Width of internal part [mm]:

410

16. Depth of internal part [mm]:

370

17. Height of internal part [mm]:

90

18. Minimum device temperature [°C]:

50

19. Maximum device temperature [°C]:

300

20. Stacking availability:

Yes

21. Pizza capacity [cm]:

1x 35 cm

22. Indicators:

operation

23. Number of internal parts:

1

24. On/Off button:

Yes

25. Type of handle:

Short, plastic

26. Steam protection:

No

27. Protection of controls:

IPX4

28. Stoneplates:

Lower

Technical data sheet

Technical parameters



Pizza oven counter top 1 chamber

Model	SAP Code	00007249
FP 38 R	A group of articles - web	Pizza ovens

29. Stone plates thickness [mm]:

14

30. Independent heating zones:

Separate control for upper and lower heating elements

31. Interior lighting:

Yes

32. Safety element:

safety thermostat

33. Number of cavities:

1

34. Chimney for moisture extraction:

No

35. Adjustable chimney:

No

36. Cross-section of conductors CU [mm²]:

0,5